MODENA






Copyright © 2022 MODENA, All rights reserved



Our vision to become a driving force towards an interconnected future is what drives us here at MODENA.

Every day, we strive to make life easier for all our customers by creating sophisticated products that are simple to operate.

Supported by a design studio in Italy, world-class R&D centers, and manufacturing facilities around the globe, we have earned the trust of customers worldwide as a provider of home and living solutions that are renowned for their aesthetic refinement, as well as their longevity and innovative technology.





1960s

MODENA inception in Emilia Romagna-Italy.

1970s

Range expansion & beginning of export.



1980s


MODENA moves its global headquarter to Asia.

2010s

Range expansion into Professional, Energy, Mobility and beyond.

Inspired by the way you perform your daily activities.


We look to you as we innovate and create new, exciting products. Here, you will discover our best product line-up yet, including Nebula Glass hobs, multi-functional ovens, sterilizing chimney hoods, and more - the manifestations of our mission to make life better and easier for you.





Time is essence of practicality.

Between the hustle and bustle of modern life, it is important to reward yourself with moments of comfort. Therefore, we equip all our products with built-in features, designed to give you the ultimate peace and convenience. Our best-selling portable induction cooker, for example, comes in a lightweight design that enhances mobility, allowing you to cook whenever and wherever you please.





Contents

Built-in Hobs

Hoods

Oven

Microwave

Refrigerator

Dishwasher













Gas Safety Technology

Ensures the safety of the cooker, as the thermocouple sensor immediately shuts off the gas flow once the cooking flame is extinguished.



Super Alloy Burner

Processed with isothermal forging at over 850°C, which increases durability and allows higher and faster heat convection.



One Hand Ignition

Lighter that is integrated with the knob that makes it easy to turn the stove on.



Freezone Technology

More flexibility by combining the cooking zone into one big space for placing the cooking pans



Sliding Touch


The touch panel gives a modern impression on the stove appearance and simplifies the operation and setting process.


Introducing

The First Nebula Glass Hob.

Elegant and built-to-last, our kitchen hob is made from the strongest material in our long history of producing kitchen appliances.








BI 1325

Schott Glass with Beveled Edge 288 × 520 × 56 mm Diamond Black

Cut-Out Dimension 270 × 500 mm

ø 210 mm 2000 W x1 ø 160 mm 1500 W x 1 2 Quantity of Zones 9 Cooking Levels Slide Touch Control System Induction Technology Automatic Turn-Off Digital Timer Integrated Cooling System Residual Heat Indicator Child lock






BI 1625 F

Eurokera Glass with Beveled Edge 590 × 520 × 56 mm Diamond Black

Cut-Out Dimension 560 × 500 mm

ø 190 mm 2000 W (2600 W w/ Booster) x 2 ø 190 mm 1500 W (2000 W w/ Booster) x 2 ø 400 × 200 mm Freezone 3000 W (3600 W w/ Booster) x 2 2 Free Zones
9 Cooking Levels
Slide Touch Control System
Induction Technology
Booster Control
Automatic Turn-Off
Digital Timer
Integrated Cooling System
Residual Heat Indicator
Child lock




BI 0935 FAM

Nebula Ceramic Glass 900 × 520 × 56 mm Diamond Black


Cut-Out Dimension 880 × 500 mm

ø 190 mm 2000 W (2600 W w/ Booster) x 2 ø 190 mm 1500 W (2000 W w/ Booster) x 2 ø 280mm 2300 W (3000 W w/ Booster) x 1

2 Free zone + 1 Zone 9 Cooking Levels Slide Touch Control System Induction Technology Booster Control Automatic Turn-Off Digital Timer Integrated Cooling System Residual Heat Indicator Child lock







BC 1321 L


Eurokera Glass with Beveled Edge 288 × 520 × 52 mm Diamond Black


Cut-Out Dimension 270 × 500 mm

ø 165 mm 1200 W x 1

ø 120-200 mm 1000/2000 W x 1

2 Quantity of Zones 9 Cooking Levels Touch Control System Infrared Technology Automatic Turn-Off Digital Timer Integrated Cooling System Residual Heat Indicator Child Lock





BC 1640 LAM


Eurokera Glass with Beveled Edge $590 \times 520 \times 52$ mm Diamond Black

Cut-Out Dimension 560 × 500 mm

ø 165 mm 1200 W x 2 ø 200 mm 1800 W x 1

ø 138-230 mm 1100 /2200 W x 1

4 Quantity of Zones
9 Cooking Levels
Touch Control System
Infrared Technology
Automatic Turn-Off
Digital Timer
Integrated Cooling System
Residual Heat Indicator
Child Lock



BC 0955 LAM

Nebula Ceramic Glass 900 × 520 × 52 mm Diamond Black

Cut-Out Dimension 880 × 500 mm

ø 165 mm 1200 W x 2


ø 200 mm 1800 W x 1

ø 165-270 mm | 1100/2000 W x 1

ø 138-230 mm 1100/2000 W x 1

5 Quantity of Zones 9 Cooking Levels Touch Control System Infrared Technology Automatic Turn-Off Digital Timer Integrated Cooling System Residual Heat Indicator

Child Lock






BE 1325


Nebula Tempered Glass Top Plate 300 × 510 × 90 mm Diamond Black

Cut-Out Dimension 266 × 478 mm

ø 180 mm 2000 W x 1 ø 110 mm 600 W x 1 2 Heating Plates Mechanical Control 6 Power Levels Residual Heat Indicator








BH 3324

Stainless Steel Panel $290 \times 500 \times 100 \text{ mm}$ Brilliant Stainless Steel

Cut-Out Dimension 266 × 478 mm

ø 3-Ring Burner 3400 W x 1 ø Medium Burner 1880 W x 1 2 Gas Burners
Eco Gas System
Gas Safety Technology
One Hand Ignition
Cast Iron Grid
Extra Nozzle for Natural Gas





BH 3649 STM

Stainless Steel Panel 580 × 500 × 90 mm Brilliant Stainless Steel

Cut-Out Dimension 552 × 470 mm

ø 3-Ring Burner 3400 W x 1 ø Medium Burner 1880 W x 2 ø Small Burner 900 W x 1 4 Gas Burners
Eco Gas System
Gas Safety Technology
One Hand Ignition
Cast Iron Grid
Extra Nozzle for Natural Gas




BH 3958 SAM

Stainless Steel Panel 860 × 500 × 90 mm **Brilliant Stainless Steel**

Cut-Out Dimension 827 ×470 mm

ø 3-Ring Burner 3400 W x 1 ø Large Burner 2400 W x 1 ø Medium Burner 1880 W x 2 ø Small Burner 900 W x 1

5 Gas Burners Eco Gas System Gas Safety Technology One Hand Ignition Cast Iron Grid Extra Nozzle for Natural Gas






BH 1325

Nebula Tempered Glass 300 × 510 × 100 mm Diamond Black

Cut-Out Dimension 266 × 478 mm

ø 3-Ring Burner 3400 W x 1 ø Medium Burner 1880 W x 1 2 Gas Burners
Eco Gas System
Gas Safety Technology
One Hand Ignition
Cast Iorn Grid
Extra Nozzle for Natural Gas






BH 2648 LBM

Nebula Tempered Glass 584 × 510 × 100 mm Diamond Black

Cut-Out Dimension 552 × 470 mm

ø 3-Ring Burner 3400 W x 1 ø Medium Burner 1880 W x 2 ø Small Burner 900 W x 1 4 Gas Burners
Eco Gas System
Gas Safety Technology
One Hand Ignition
Cast Iron Grid
Extra Nozzle for Natural Gas






BH 2958 LBM

Nebula Tempered Glass 874 × 510 × 100 mm Diamond Black

Cut-Out Dimension 827 × 475 mm

ø 3-Ring Burner 3400 W x 1 ø Large Burner 2400 W x 1 ø Medium Burner 1880 W x 2 ø Small Burner 900 W x 1 5 Gas Burners
Eco Gas System
Gas Safety Technology
One Hand Ignition
Cast Iron Grid
Extra Nozzle for Natural Gas









Hoods

MODENA





Aluminum Cassette Filter

This grease filter system consists of five aluminum layers, for optimal filtration resulting in clean air.



Touch Control System

Set and operate your hood with ease through this touch control system, and enjoy a modern and streamlined look kitchen.



Peritraction System

A more focused air suction design for faster ventilation, keeping the kitchen clean and smoke-free while you cook.



Germinator System

Gives out active ions which effectively kill germs and bacteria and cleans dirty air.



LED Lamp

Warm, energy-efficient lighting for optimal illumination in the kitchen.



Vit-C Filter

A filter made of special materials impregnated with vitamin C, resulting in fresh and clean kitchen air.



Carbon Active Filter

The filter contains active carbon particles that absorb smoke and neutralize unpleasant odors.



Exhaust & Recirculating System

A dual system that can be adjusted to your kitchen installation method, using either an exhaust or recirculation system.

Cool Blast Hood Technology™

Enjoy a pleasant cooking experience with our innovative hood technology, which works by absorbing hot air and steam as you cook and replacing it with cool, crisp air.







Germinator System





Carbon Active Filter





360° Air Hood - CX 6761


Tempered Glass 600 × 360 × 740 -1080 mm Diamond Black

New Innovation Hoods - Wall Type

Turbo Motor $1 \times 250 \text{ W}$ LED Lamp $2 \times 0.5 \text{ W}$ Cool Blast
Double Exhaust System
3 Speed Levels
Touch Control System
Hand Gesture System
Suction Power 750 m3/h

Aluminium Filter
Carbon Filter
2 Pcs Chimney
Extra Extensible Hose
Outlet Diameter 150 mm





360° Air Hood - CX 9761

Tempered Glass 900 × 360 × 740 - 1080 mm Diamond Black


New Innovation Hoods - Wall Type

Turbo Motor $1 \times 250 \text{ W}$ LED Lamp $2 \times 0.5 \text{ W}$ Cool Blast
Double Exhaust System
3 Speed Levels
Touch Control System
Hand Gesture System
Suction Power 750 m /h

Aluminium Filter
Carbon Filter
2 Pcs Chimney
Extra Extensible Hose
Outlet Diameter 150 mm

3





CX 7712 L


Galvanized Steel Material with Tempered Glass $695 \times 325 \times 680$ - 1070 mm Diamond Black

Wall Type

Turbo Motor 1 × 130 W LED Lamp 2 × 1 W 3 Speed Levels
Push Button Control System
Suction Power 700 m3/h
Cassette Aluminum Filter

Carbon Filter
2 Pcs Black Painted Chimney
Extra Extensible Hose
Outlet Diameter 150 mm





CX 9156


Stainless Steel with Tempered Glass 910 × 505 × 550 - 1030 mm Diamond Black

Wall Type

Turbo Motor 1 × 300 W LED Lamp 2 × 2 W Germinator Technology (Ionizer)
Peritraction System
Cleaning Reminder
Heat Sensor
LCD Display
Touch Control System
3 Speed Levels + Turbo
Cassette Aluminum Filter

Vitamin C Filter
Carbon Filter
Oil Collector
2 Pcs Stainless Steel Chimney
Extra Extensible Hose
Outlet Diameter 150 mm






CX 6150

Stainless Steel $600 \times 500 \times 560$ - 1040 mm Brilliant Stainless Steel

Wall Type

Turbo Motor 1 × 200 W LED Lamp 2 × 0.5 W Germinator Technology (Ionizer) 3 Speed Levels Push Button Control System Suction Power 900 m3/h Cassette Aluminum Filter Vitamin C Filter Carbon Filter
Oil Collector
2 pcs Stainless Steel Chimney
Extra Extensible Hose
Outlet Diameter 150 mm





CX 9150

Stainless Steel $900 \times 500 \times 560 - 1040 \text{ mm}$ Brilliant Stainless Steel

Wall Type

Turbo Motor 1 × 200 W LED Lamp 2 × 0.5 W Germinator Technology (Ionizer) 3 Speed Levels Push Button Control System Suction Power 1000 m3/h Cassette Aluminum Filter Vitamin C Filter Carbon Filter
Oil Collector
2 pcs Stainless Steel Chimney
Extra Extensible Hose
Outlet Diameter 150 mm




SX 6001 S


Metal Body 600 × 520 × 150 mm Stainless Grey Painted

Slim Type

Motor $1 \times 125 \text{ W}$ Bulb $1 \times 40 \text{ W}$ Germinator Technology (Ionizer) 3 Speed Levels Push Button Control System Suction Power 400 m³/h Cassette Alumunium Filter Carbon Filter Vitamin C Filter Outlet Diameter 120 mm








SX 9502 V

Metal Body $900 \times 495 \times 150 \text{ mm}$ Brilliant Stainless Steel

Slim Type

Motor $2 \times 125 \text{ W}$ Bulb $2 \times 40 \text{ W}$ Germinator Technology (Ionizer) 3 Speed Levels Push Button Control System Suction Power 520 m3/h Cassette Alumunium Filter Carbon Filter Vitamin C Filter Outlet Diameter 120 mm





SX 9002 S

Metal Body 900 × 520 × 150 mm Stainless Grey Painted

Slim Type

Motor $2 \times 125 \text{ W}$ Bulb $2 \times 40 \text{ W}$ Germinator Technology (Ionizer) 3 Speed Levels Push Button Control System Suction Power 520 m3/h Cassette Alumunium Filter Carbon Filter Vitamin C Filter Outlet Diameter 120 mm





MODENA







. .

10 10 10





360° Circulation Heat

The convection fire heating system that can be programmed above and below, makes the oven's performance to be maximal.



Ultraflow Technology

Prevents heat from reaching the outside surface of the oven, by automatically switching on the cooling system when the oven turns on.



Triple Glass Door

A sturdy triple glass oven door ensures that the outer oven door surface stays cool.



Timer

Equipped with a 60-minute timer for handy reminders while cooking.



TFT Control System

A new panel control for quick and easy operation.


Multi-Function Oven Technology™

A refined range of multi-tasking ovens, each type is equipped with the latest innovations in cooking technology, enhancing your kitchen with a simple yet elegant look, even in smaller spaces.





Auto-Cooking Programs









Glass 595 × 610 × 595 mm Diamond Black

Electric Oven

Cut-Out Dimension $560 \times 550 \times 580 \text{ mm}$

Capacity: 80 Liters

Electric Lower Heater 1200 W Electric Back Heater 1800 W Electric Grill 1200 W + 2400 W 16 Multifunction Programs

Convection Fan

3 Layer Glass

Side Rack

Rotisserie

Digital Timer

TFT Control Panel + Electric Knob

System

Adjustable Thermostat

Ultraflow Cooling Technology

Oven Light


Meat Probe


1 Oven Rack

1 Oven Tray

1 Tray Handle

1 Deep Tray







Glass 595 × 610 × 595 mm Diamond Black

Electric Oven

Cut-Out Dimension $560 \times 550 \times 580 \text{ mm}$

Capacity: 67 Liters

Electric Lower Heater 1200 W Electric Back Heater 2100 W Electric Grill 1000 + 1900 W 11 Multifunction Programs

Convection Fan

3 Layer Glass

Side Rack

Rotisserie

Digital Timer

Full Touch Control System

Adjustable Thermostat

Ultraflow Cooling Technology

Oven light


Soft Closing Door


2 Oven Racks

1 Oven Tray

1 Tray Handle

Steam Oven Tray







Glass & Stainless Steel 595 × 610 × 595 mm Diamond Black + Brilliant Stainless Steel

Electric Oven

Cut-Out Dimension 560 × 550 × 580 mm

Capacity: 67 Liters

Electric Lower Heater 1200 W Electric Back Heater 2100 W Electric Grill 1000 + 1900 W 8 Multifunction Programs

Convection Fan

3 Layer Glass

Side Rack

Rotisserie

Digital timer

Knob + Button Control System

Adjustable Thermostat


Ultraflow Cooling Technology


Oven Light

2 Oven Racks

1 Oven Tray

1 Tray Handle







Glass 595 × 610 × 595 mm Diamond Black

Electric Oven

Cut-Out Dimension 560 × 550 × 580 mm

Capacity: 56 Liters

Electric Lower Heater 1200 W Electric Back Heater 2100 W Electric Grill 1000 + 1900 W 8 Multifunction Program

Convection Fan

3 Layer Glass

Side Rack

Rotisserie

Mechanical Timer

Knob Control System

Adjustable Thermostat


Ultraflow Cooling Technology


Oven Light

2 Oven Racks

1 Oven Tray

1 Tray Handle







BO 9130 SAM

Stainless Steel 895 × 568 × 475 mm Brilliant Stainless Steel

Electric Oven

Cut-Out Dimension $860 \times 550 \times 472 \text{ mm}$

Capacity: 110 Liters

Electric Lower Heater 1300 W Electric Back Heater 2800 W Electric Grill 1050 + 2000 W 9 Multifunction Programs

Convection Fan

3 Layer Glass

Side Rack

Rotisserie

Digital Timer

Knob + Button Control System

Adjustable Thermostat

Ultraflow Cooling Technology


H1:472

Oven light

1 Oven Rack

1 Oven Tray

1 Small Rack





MG 2517 WAM


Glass & Stainless Steel 595 × 401 × 388 mm Pearl White + Brilliant Stainless Steel


Built-in Microwave Oven

Cut-Out Dimension 560 × 500 × 380 mm

Capacity: 25 Liters

Rated input (Microwave) 1450 W Rated output (Microwave) 900 W Microwave + Grill Stainless Steel Cavity 315 mm Glass Turntable 8 Auto Menu Deforst by Weight/Time Kitchen Timer Cooking End Signal Child Lock










Refrigerator & Dishwasher MODE

Built-in Refrigeratior and Dishwasher





WP 9153 WVM

Built-in Dishwasher 598 × 550 × 820 mm Pearl White

Cut-Out Dimension 600 × 570 x (820 - 870)

Power Input 1900 W


Energy Consumption 0.92 KWh/ Cycle


Water Consumption 12 L

Ultra AeroDry
15 Place Settings
5 Programs
3 Spray Arms
3 Layers of Basket
Electric Button Control

LED Display
1 - 19 h Delay Start
Half Load Function
Salt & Rinse Aid Indicator
Interior Light
Buzzer







RF 2927 WAM

Built-in Refrigerator 540 × 550 × 1769 mm Pearl White

Cut-Out Dimension 562 × 560 × 1774 mm

Defrost Power 180 W

Refrigerator Temperature $0 \, ^{\circ}\text{C} - 10 \, ^{\circ}\text{C}$

Freezer Temperature -18 °C

Total Capacity 254 L
Refrigerator Capacity 177 L
Total No Frost
Smart Digital Control
Multiflow Cooling System
Transparent Glass Shelf

Door Alarm LED Light Fresh Keeper Hettich™ Hinge



Interested in learning more about our product range?

Visit our website

www.modena.com

The best place for your home and living solutions.

We are experts in cooking, cleaning, cooling, and beyond,
as we are passionate about creating products that can make your life better and easier.




هل أنت مهتم بمعرفة المزيد عن مجموعة منتجاتنا؟

قم بزيارة موقعنا الإلكتروني

www.modena.com

أفضل مكان لشراء مستلزمات منزلك ومعيشتك. لدينا فريق من الخبراء في الطهي والتنظيف والتبريد وغير ذلك، لأننا متحمسون لصنع منتجات يمكن أن تجعل حياتك أفضل وأسهل







WP 9153 WVM

غسالة صحون مدمجة 598 × 550 × 820 مم أبيض لؤلؤي

أبعاد القطع 600 × 570 × (820-870) مم

مدخلات الطاقة: 1900 واط استهلاك الطاقة 0.92 كيلو واط ساعة / دورة استهلاك المياه: 12 لتر Aeroغسالة فائقة التجفيف 15 وضعية مختلفة 5 برنامج 3 رشاشات سلة من 3 طبقات زر التحكم الكهربائي





السعة الكلية 254 لتر سعة الثلاجة 177 لتر توتال نو فروست لوحة تحكم إلكترونية نظام تبريد متعدد التدفق رف زجاجي شفاف

شاشة LED

الضوء الداخلي

الجرس

٦-19 ساعة تأخير البدء

وظيفة تشغيل نصفي

مؤشر مساعد للملح والشطف

RF 2927 WAM

ثلاجة مدمجة 540 × 550 × 1770 مم أبيض لؤلؤري

أبعاد القطع 562 × 560 × 1774 مم

الطاقة المستهلكة لفك التجميد: 180 واط درجة حرارة الثلاجة 0 درجة مئوية - 10 درجة مئوية درجة حرارة الثلاجة 18- درجة مئوية جهاز إنذار الباب ضوء LED درج الحفاظ على المأكولات Hettich™ Hinge







MG 2517 WAM

زجاج وفولاذ مقاوم للصدأ 388 × 401× 595 مر أبيض لؤلؤى + الفولاذ المقاوم للصدأ اللامع


فرن کهربائي


أبعاد القطع 560 × 500 × 366 مم

السعة: 25 لتر مدخل حراري (ميكرويف) يقدر بـ 1450 واط مخرج حراری (میکرویف) یقدر بـ 900 واط

جهاز توقيت للمطبخ اشارة انتهاء الطهي قفل سلامة الأطفال

ميكروويف + شواية میکروویف + شوایة صحن دوار زجاجی 315 مم 8 قوائم أوتوماتيكية تسخين الطعام حسب الوزن / الوقت








BO 9130 SAM


الفولاذ المقاوم للصدأ 895 × 475 مم الفولاذ المقاوم للصدأ اللامع

فرن کهربائي

أبعاد القطع 860 × 550 مر

السعة: 110 لتر سخان كهربائي سفلي بقطر 1300 واط سخان كهربائي خلفي 2800 واط شواية كهربائية بقطر 1050 + 2000 واط 9 برامج متعددة الوظائف مروحة حمل حراري باب زجاجي ثلاثي الطبقات رف جانبي المشواة جهاز توقيت رقمي مقبض + زر نظام التحكم منظم حراره قابل للتعديل تقنية تبريد فائقة التدفق مصباح للفرن 1 رف فرن 1 صينية فرن 1 رف صغير








زجاج 595 × 610 × 595 مم ماسی أسود


فرن کهربائي

أبعاد القطع 560 × 550 × 580 مم

السعة: 56 لتر سخان كهربائي سفلي بقطر 1200 واط سخان كهربائي خلفي 2100 واط شواية كهربائية بقطر 1000 + 1900 واط منظم حراره قابل للتعديل تقنية تبريد فائقة التدفق مصباح للفرن 2 رف فرن 1 صينية فرن 1 مقبض للصينية

8 برامج متعددة الوظائف مروحة حمل حراري باب زجاجي ثلاثي الطبقات رف جانبي المشواة مؤقت ميكانيكي نظام تحكم بالمقبض









الزجاج والفولاذ المقاوم للصدأ 595 × 610 × 595 مم ماسي أسود + الفولاذ المقاوم للصدأ اللامع

فرن کهربائي

أبعاد القطع 560 × 550 × 580 مم

السعة: 67 لتر سخان كهربائي سفلي بقطر 1200 واط سخان كهربائي خلفي 2100 واط شواية كهربائية بقطر 1000 + 1900 واط منظم حراره قابل للتعديل تقنية تبريد فائقة التدفق مصباح للفرن 2 رف فرن 1 صينية فرن + صينية فرن بخار 1 مقبض للصينية 8 برامج متعددة الوظائف مروحة حمل حراري باب زجاجي ثلاثي الطبقات رف جانبي المشواة جهاز توقيت رقمي مقبض + زر نظام التحكم







زجاج 595 × 610 × 595 مر ماسي أسود


فرن کهربائي


أبعاد القطع 560 × 550 × 580 مم

السعة: 67 لتر سخان كهربائي سفلي بقطر 1200 واط سخان كهربائي خلفي 2100 واط شواية كهربائية بقطر 1000 + 1900 واط

تقنية تبريد فائقة التدفقمصباح للفرن باب سلس الإغلاق 2 رف فرن 1 صينية فرن 1 مقبض للصينية صينية فرن بخاري

11 برامج متعددة الوظائف مروحة حمل حراري باب زجاجي ثلاثي الطبقات رف جانبي المشواة جهاز توقيت رقمي تحكم كامل باللمس منظم حراره قابل للتعديل







زجاج 595 × 610 × 595 مر ماسي أسود


فرن كهربائي


أبعاد القطع 560 × 550 × 580 مم

السعة: 80 لتر سخان كهربائي سفلي بقطر 1200 واط سخان كهربائي خلفي 2100 واط شواية كهربائية بقطر 1200 + 2400 واط

تقنية تبريد فائقة التدفق مصباح للفرن مقياس حرارة اللحم 1 رف فرن 1 صينية فرن ٦ مقبض للصينية 1 رف صغیر

16 برامج متعددة الوظائف مروحة حمل حراري باب زجاجي ثلاثي الطبقات رف جانبي المشواة جهاز توقيت رقمي لوحة تحكم TFT + نظام مقبض كهربائي منظم حراره قابل للتعديل





فرن

تقنية فرن متعددة الوظائف

مجموعة رائعة من الأفران متعددة الوظائف، كل نوع مجهز بأحدث ابتكارات تكنولوجيا الطهى، مما يضفى مظهرًا بسيطًا وأنيقًا على مطبخك، حتى في أصغر المساحات.



360 درجة حرارة الدوران

برامج الطهي الأوتوماتيكي

> وظيفة البخار



تقنية الترشيح فائق التدفق

MODENA




. .

فرن

10 10 10





دوران حراري 360 درجة

نظام التسخين بالنار بالحمل الحرارى والذى يمكن برمجته وضبطه في الأعلى والأسفل، للحصول على أداء أمثل للفرن.



تقنية التدفق الفائق "ألترافلو"

لمنع وصول الحرارة إلى الأسطح الخارجية للفرن، وذلك من خلال التشغيل التلقائي لنظام التبريد عند تشغيل الفرن.



باب زجاجي ثلاثي

يضمن باب الفرن المزود بثلاثة طبقات من الزجاج المتين أن السطح الخارجي للباب الفرن يبقى باردًا.



مؤقت

مزود بمؤقت لمدة 60 دقيقة لضبط التنبيهات يدويًا أثناء الطهى.



نظام التحكم بلوحة TFT بغشاء رقيق ترانزستور

لوحة تحكم جديدة لتنفيذ عمليات سريعة وسهلة.




MODENA

الأفران والميكروويف










SX 9502 V

جسم معدني 900 × 495 × 150 مم الفولاذ المقاوم للصدأ اللامع

من النوع النحيف

قطر المحرك 2 × 125 واط قطر المصباح 2 × 40 واط تقنية جرمينيتور (مؤين) 3 مستويات سرعة نظام تحكم بالضغط على زرقوة شفط مثالية 520 م 3 / ساعة فلتر شريط ألومنيوم فلتر من الكربون فلتر فيتامين سي منفذ قطر 120 مم





SX 9002 S

جسم معدني 900 × 520 × 150 مم رمادي اللون غير قابل للصدأ تقنية جرمينيتور (مؤين) 3 مستويات سرعة نظام تحكم بالضفط على زر قوة شفط مثالية 520 م 3 / ساعة فلتر شريط ألومنيوم فلتر من الكربون فلتر فيتامين سي منفذ قطر 120 مم

من النوع النحيف

قطر المحرك 2 × 125 واط قطر المصباح 2 × 40 واط




SX 6001 S


جسم معدني 600 × 520 × 150 مم رمادي اللون غير قابل للصدأ

من النوع النحيف

قطر المحرك 2 × 125 واط قطر المصباح 1 × 40 واط 3 مستویات سرعة نظام تحكم بالضفط على زر قوة شفط مثالية 400 م 3 / ساعة فلتر شريط ألومنيوم فلتر من الكربون فلتر فيتامين سي منفذ قطر 120 مم تقنية جرمينيتور (مؤين)







CX 6150

مجمّع الزيت 2 مدخنات الفولاذ المقاوم للصدأ خرطوم إضافي قابل للمد


تقنية جرمينيتور (مؤين) 3 مستويات سرعة نظام تحكم بالضفط على زر قوة شفط مثالية 900 م 3 / ساعة فلتر شريط 🛚 منفذ قطر 150 مم ألومنيوم فلتر فيتامين سي فلتر من الكربون

الفولاذ المقاوم للصدأ 000 × 500 × 500 × 600 مم الفولاذ المقاوم للصدأ اللامع

تُركّب في الجدار

1 محرك تربو 200 واط قطر مصباح ليد 2 × 0.5 واط





مجمّع الزيت

2 مدخنات الفولاذ المقاوم للصدأ

خرطوم إضافي قابل للمد

منفذ قطر 150 مم فلتر من الكربون


CX 9150

الفولاذ المقاوم للصدأ 900 × 500 × 900 مم الفولاذ المقاوم للصدأ اللامع

تُركّب في الجدار

1 محرك تربو 200 واط قطر مصباح ليد 2 × 0.5 واط

تقنية جرمينيتور (مؤين) 3 مستويات سرعة نظام تحكم بالضفط على زر قوة شفط مثالية 900 م 3 / ساعة فلتر شريط ألومنيوم فلتر فيتامين سي





CX 7712 L


3 مستویات سرعة نظام تحکم بالضفط علی زر قوة شفط مثالیة 700 م 3 / ساعة فلتر قرص ألومنيوم فلتر كربوني

2 مدخنتان باللون الأسود خرطوم إضافي قابل للمد منفذ بقطر 150 مم

مادة الفولاذ المجلفن مع الزجاج الصلب 695 × 325 × 680 - 1070 مم ماسي أسود

تُركّب في الجدار

قطر محرك توربو 1 × 130 واط قطر مصباح ليد 2 × 1 واط






CX 9156

الفولاذ المقاوم للصدأ 910 × 505 × 550 - 1030 مم ماسي أسود

تُركّب في الجدار

قطر محرك توربو 1 × 300 واط قطر مصباح ليد 2 × 2 واط فلتر فيتامين سي فلتر كربوني مجمّع الزيت 2 مدخنتان باللون الأسود خرطوم إضافي قابل للمد منفذ بقطر 150 مم تقنية جرميناتور (مؤين) نظام الشفط المركز تذكير بالتنظيف مستشعر الحرارة شاشة LCD لوحة التحكم باللمس 3 مستويات سرعة + تربو فلتر شريط ألومنيوم





شفاط هواء 360 درجة - CX 6761


زجاج صلب 600 × 360 × 740 - 1080 مم ماسي أسود

شفاطات مبتكرة جديدة - مركّبة بالجدار

قطر محرك توربو 1 × 250 واط قطر مصباح ليد 2 × 0.5 واط فلتر من الألومنيوم فلتر كربوني 2 قطع للمدخنة خرطوم إضافي قابل للمد منفذ بقطر 150 مم

عازل الحرارة نظام العادم المزدوج 3 مستويات سرعة . لوحة التحكم باللمس نظام التحكم عن طريق الإيماءات قوة شفط مثالية 750 م 3 / ساعة





شفاط هواء 360 درجة - CX 9761

زجاج صلب 900 × 360 × 740 - 1080 مم ماسي أسو*د*

شفاطات مبتكرة جديدة - مركّبة بالجدار

قطر محرك توربو 1 × 250 واط قطر مصباح ليد 2 × 0.5 واط فلتر من الألومنيوم فلتر كربوني 2 قطع للمدخنة خرطوم إضافي قابل للمد منفذ بقطر 150 مم عازل الحرارة نظام العادم المزدوج 3 مستويات سرعة . لوحة التحكم باللمس نظام التحكم عن طريق الإيماءات قوة شفط مثالية 750 م 3 / ساعة

تكنولوجيا الشفاط العازل للحرارة™

استمتعى بتجربة طهى ممتعة مع تقنية شفاط المطبخ المبتكرة، تعمل عن طريق امتصاص الهواء الساخن والبخار أثناء الطهى واستبداله بهواء بارد ونقى.











فلتر فيتامين



فلتر الكربون







لمبة ليد

إضاءة هادئة وموفرة للطاقة للحصول على أفضل إضاءة للمطبخ.



فلتر مشبع بفيتامين سي

فلتر مكون من مواد خاصة مشبعة بفيتامين سي، لتوفير هواء نقي ونظيف في المطبخ.



فلتر الكربون المنشط

يحتوي الفلتر على جزيئات الكربون المنشط التي تمتص الدخان وتقضى على الروائح الكريهة.



نظام العادم وإعادة التدوير

نظام مزدوج يمكن ضبطه حسب طريقة تركيب مطبخك، باستخدام إما نظام العادم أو نظام إعادة التدوير.

علبة الفلتر الألمنيوم

يتكون نظام فلتر الشحوم هذا من خمس طبقات من الألومنيوم من أجل عملية ترشيح أمثل وتوفير هواء نقي.



نظام التحكم باللمس

قم بإعداد شفاطك وتشغيله بسهولة من خلال نظام التحكم باللمس هذا، واستمتع بمطبخ عصري وانسيابي.



نظام الشفط

نظام بتصميم أكثر تركيزًا على شفط الهواء من أجل تهوية أسرع، والحفاظ على المطبخ نظيفًا وخاليًا من الدخان أثناء الطهي.



نظام تنقية الهواء

يطلق الآيونات النشطة للقضاء بفعالية على الجراثيم والبكتريا وتنقية الهواء الملوث.



شفاطات

MODENA










BH 2958 LBM

زجاج نيبولا مقوڀ 874 × 510 × 100 مم ماسي أسود

أبعاد القطع 827 × 475 مم

موقد بقطر 3 حلقات 3400 واط × 1 قطر الموقد الكبير 2400 واط × 1 موقد متوسط قطره 1880 واط × 2 موقد صغير بقطر 900 واط × 1

غاز بـ 5 مواقد نظام غاز صديق للبيئة تقنية سلامة الغاز الإشعال بيد واحدة شبكة من الحديد الصلب فوهة إضافية للغاز الطبيعى






BH 2648 LBM

زجاج نيبولا مقوي 584 × 510 × 100 مم ماسي أسود

أبعاد القطع 552 × 470 مم

موقد بقطر 3 حلقات 3400 واط × 2 موقد متوسط قطره 1880 واط × 2 موقد صغیر بقطر 900 واط × 1

غاز بـ 4مواقد نظام غاز صديق للبيئة تقنية سلامة الغاز الإشعال بيد واحدة شبكة من الحديد الصلب فوهة إضافية للغاز الطبيعي






BH 1325

زجاج نيبولا مقوري 100 x 300 x 510 x مم ماسي أسود

أبعاد القطع 266 × 478 مم

موقد بقطر 3 حلقات 3400 واط × 1 موقد متوسط قطره 1880 واط × 2

غاز بـ 2 مواقد نظام غاز صديق للبيئة تقنية سلامة الغاز الإشعال بيد واحدة شبكة من الحديد الصلب فوهة إضافية للغاز الطبيعى






BH 3958 SAM

لوحة من الفولاذ المقاوم للصدأ 860 × 500 × 90 مم الفولاذ المقاوم للصدأ اللامع


أبعاد القطع 827 × 470 مم

موقد بقطر 3 حلقات 3400 واط × 1 قطر الموقد الكبير 2400 واط × 1 موقد متوسط قطره 1880 واط × 2 موقد صغير بقطر 900 واط × 1

غاز بـ 5 مواقد نظام غاز صديق للبيئة تقنية سلامة الغاز الإشعال بيد واحدة شبكة من الحديد الصلب فوهة إضافية للغاز الطبيعي







BH 3324

لوحة من الفولاذ المقاوم للصدأ 290 × 500 × 95 مم الفولاذ المقاوم للصدأ اللامع

290 × 500 مم

موقد بقطر 3 حلقات 3400 واط × 1 موقد متوسط قطره 1880 واط × 2

غاز بـ 2 مواقد نظام غاز صديق للبيئة تقنية سلامة الفاز الإشعال بيد واحدة شبكة من الحديد الصلب فوهة إضافية للغاز الطبيعى

غاز بـ 4 مواقد


نظام غاز صديق للبيئة

فوهة إضافية للغاز الطبيعي

تقنية سلامة الغاز

الإشعال بيد واحدة شبكة من الحديد الصلب





BH 3649 STM

لوحة من الفولاذ المقاوم للصدأ 580 × 500 × 90 مم الفولاذ المقاوم للصدأ اللامع

90 × 500 × 580 مر

موقد بقطر 3 حلقات 3400 واط × 1 موقد متوسط قطره 1880 واط × 2 موقد صغیر بقطر 900 واط × 1





BE 1325

2 صفائح تسخين التحكم الميكانيكي 6 مستويات للطاقة مؤشر الحرارة المتبقية زجاج نيبولا مقوي 300 × 510 × 90 مم ماسي أسود 580 × 500 × 90 مم الفولاذ المقاوم للصدأ اللامع

أبعاد القطع 480 × 268 مم

قطر 180 مم 2000 واط × 1 قطر 110 مم 600 واط × 1





BC 0955 LAM

زجاج نيبولا سيراميكي 900 × 520 × 51 مم ماسي أسود

أبعاد القطع 880 × 500 مم

قطر 165 مم 1200 واط × 1 قطر 200 مم 1800 واط × 1 قطر 200-165 مم 1100/2200 واط × 1 قطر 138-230 مم 1100/2200 واط × 1


جهاز توقيت رقمي

مؤشر الحرارة المتبقية


قفل سلامة الأطفال

نظام تبريد مدمج

5 منطقتيّ طهي 9 درجات لطهي الطعام . لوحة التحكم باللمس تكنولوجيا الأشعة تحت الحمراء توقف تلقائي







BC 1321 L


زجاج يورو كيرا مشطوف الحافة 288 × 520 × 52 مم ماسى أسود

أبعاد القطع 270 × 500 مم

قطر 165 مم 1200 واط × 1 قطر 200-120 مم 1000/2000 واط × 1

2 منطقة حرة + 1 منطقة 9 درجات لطهي الطعام نظام تحكم باللمس الانزلاقي تقنية الطهي بالحث الحراري تحكم معزّز





BC 1640 LAM

زجاج يورو كيرا مشطوف الحافة 590 × 520 × 52 مم ماسي أسود

أبعاد القطع 560 × 500 مم

قطر 165 مم 1200 واط × 2 قطر 200 مم 1800 واط × 1 قطر 230-138 مم 1100/2200 واط × 1

2 منطقة حرة + 1 منطقة 9 درجات لطهي الطعام نظام تحكم باللمس الانزلاقي تقنية الطهي بالحث الحراري تحكم معزّز توقف تلقائي توقف تلقائي نظام تبريد مدمج مؤشر الحرارة المتبقية قفل سلامة الأطفال


توقف تلقائي

توقف تلقائي

نظام تبريد مدمج

مؤشر الحرارة المتبقية

قفل سلامة الأطفال



BI 0935 FAM

زجاج نيبولا سيراميكي 900 × 520 × 56 مم ماسي أسود


أبعاد القطع 880 × 500 مم


قطر 190 مم 2000 واط (2600 واط مع الداعم) × 2 قطر 190 مم 1500 واط (2000 واط مع الداعم) × 2

قطر 280 مم 2300 واط (3000 واط مع الداعم) × 1

توقف تلقائي توقف تلقائي نظام تبريد مدمج مؤشر الحرارة المتبقية قفل سلامة الأطفال

2 منطقة حرة + 1 منطقة 9 درجات لطهي الطعام نظام تحكم باللمس الانزلاقي تقنية الطهي بالحث الحراري تحكم معزّز








BI 1625 F

2 منطقة حرة + 1 منطقة 9 درجات لطهي الطعام نظام تحكم باللمس الدنزلاقي تقنية الطهي بالحث الحراراي تحكم معزِّز

زجاج يورو كيرا مشطوف الحافة 590 × 520 × 56 مم ماسي أسود

أبعاد القطع 560 × 500 مم

قطر 190 مم 2000 واط (2600 واط مع الداعم) × 2 قطر 190 مم 1500 واط (2000 واط مع الداعم) × 2 2 × 200 مم المنطقة الحرة 3000 واط (3600 واط مع الداعم) × 2





BI 1325

2 منطقة حرة + 1 منطقة 9 درجات لطهي الطعام نظام تحكم باللمس الانزلاقي تقنية الطهي بالحث الحراري تحكم معزِّز

زجاج سكوت مع حافة مشطوفة 288 × 520 × 56 مم ماسي أسود

أبعاد القطع 270 × 500 مم

قطر 210 مم 2000 واط × 1 قطر 160 مم 1500 واط × 1 توقف تلقائي توقف تلقائي نظام تبريد مدمج مؤشر الحرارة المتبقية قفل سلامة الأطفال

توقف تلقائي

توقف تلقائي

نظام تبريد مدمج

مؤشر الحرارة المتبقية

قفل سلامة الأطفال

موقد

نقدم لکم موقد زجاجي من نيبولا

أنيق ومصمم ليدوم طويلًا، موقد مطبخنا مصنوع من أقوى مادة في تاريخنا الطويل من إنتاج أدوات المطبخ.





تقنية سلامة الغاز

تضمن سلامة الموقد حيث يقوم مستشعر الحرارة بغلق الغاز على الفور بمجرد انطفاء اللهب.



شعلة بسبيكة معدنية متطورة

تمت معالجتها بالصهر الحرارى المتساوى على درجة حرارة 850 مئوية مما يزيد من متانتها وصلابتها، ويمنحها حملاً حرارياً أعلى وأسرع.



إشعال بيد واحدة

ولاعة مدمجة بالمقبض تسهل تشغيل الموقد.



تقنية المنطقة الحرة

مزيد من المرونة من خلال دمج منطقة الطهى في مساحة واحدة كبيرة لوضع أواني الطهي



اللمسة الاحترافية

تضفى لوحة اللمس لمسة عصرية الانطباع على مظهر الموقد ويبسط العملية وعملية الإعداد.







المحتويات

أجهزة مدمجة مواقد

شفاطات

فرن

الميكروويف

ثلاجة

غسالة الأطباق













عرف مجال الطهي نموًا كبيرًا خلال السنوات الأخيرة، وبات العالم يتقدم بوتيرة سريعة بحيث أصبح الطهي يتماشى مع الفن. تم تصميم مجموعة مودينا بروفشونال MODENA الاحترافية بأعلى معايير الصناعة، حيث توفر

القوة والدقة لتلبية احتياجات محترفي الطهي والمؤسسات التجارية فى كل مكان






وقتك من *ذ*هب





نستلهم منكم منتجات جديدة ومثيرة. يمكنك إيجاد أفضل المنتجات الخاصة بنا، بما في ذلك مواقد نيبولا الزجاجية وأفران متعددة الوظائف وشفاطات التعقيم والكثير غيرها – رؤيتنا هي تقديم حياة أفضل وأكثر سهولة لك





1970s

توسيع النطاق و بداية التصدير. 1960s

بداية مودينا في إميليا رومانيا - إيطاليا.



2010s

زيادة نطاق المنتجات لتشمل منتجات احترافية وموفرة للطاقة وسهلة التنقل وأكثر. 1980s

مودينا تنقل مقرها العالمي إلى آسيا.



رؤیتنا أن نصبح قوة *د*افعة نحو مستقبل مترابط هو ما یدفعنا هنا فی مودینا.

كل يوم ، نسعى جاهدين لجعل الحياة أسهل لجميع عملائنا من خلال ابتكار منتجات متطورة يسهل تشفيلها.

بدعم من استوديو التصميم في إيطالي<mark>ا ، ومراكز البحث</mark> والتطوير ذات

المستوى العالمي ،

ومرافق التصنيع في جميع أُنحاء العالم ، لقد اكتسبنا ثقة العملاء في جميع أنحاء العالم كمزود الحلولالمنزلية والمعيشية التي تشتهر بتطورها الجمالي صقل ، فضلا عن طول العمر والتكنولوجيا المبتكرة.





حقوق النشر © MODENA 2022. كل الحقوق محفوظة

MODENA كتالوج الأجهزة المدمجة