Gourmet Series

3

MODENA







There is room for creativity

Cook from the heart Create something extraordinary Go beyond the stream

Don't go blunt.



There is room for perfection

Enjoy every process Add, reduce, make it better Find your match Discover your soul

Nothing taste bitter.



There is room for satisfaction

Introducing MODENA Gourmet Series —a refinement in cooking appliances where design, technology and materiality are carefully tested. Giving your kitchen a bold new look, simple yet elegant, powerful and durable even in limited space.

Pure satisfaction.

MODENA Gourmet Series

lob	10
Built-in Induction	
Built-in Induction & Vitroceramic	
Built-in Vitroceramic	
Built-in Gas	
Compact Series & Oven	18
Compact Combi Oven	
Compact Steam Oven	
Compact Electric Oven	
Compact Water Dispenser	
Compact Wine Cellar	
Electric Oven	
Hood	22
Downdraft Hood	~ ~ ~
Wall Chimney	
sland Chimney	
Sink & Tap	26
Granitech Sink	
Kitchen Tap	
	7.0
Customer Care	32
Narranty & Services	






Features




Induction Technology


A faster and more efficient cooking process using electromagnetic waves to heat up cooking utensils though direct induction.



Booster Function Enjoy faster cooking times with the Booster function, which boosts performance to optimal levels.



Full Brass Burner Burners are made of long lasting with full brass material, for better durability and heating performance.



Dual Cooking Zone

Highlight technology on cooktops reach maximum heat in few seconds, with dual cooking zone which can be activated when using larger pots and pans.



Gas Safety Technology

Ensures the safety of the cooker, as the thermocouple sensor immediately shuts off the gas flow once the cooking flame.



Triple Flow with EcoFlame

The Triple Flow Burner with two burner rings delivers a wide range of heat, from low heat for warming food to multiple flames with high heat of up to 5 kW.



BUILT-IN INDUCTION





MAGNE - BI 1642





MODEL	MAGNE - BI 1642	MAGNE - BI 1321
HOB TYPE	INDUCTION HOB	INDUCTION HOB
PRODUCT DIMENSION	580 X 510 X 75 MM	290 X 510 X 65 MM
CUT-OUT DIMENSION	560 X 490 MM	270 X 490 MM
MATERIAL	CERAMIC GLASS WITH	CERAMIC GLASS V
	BEVELED EDGE	BEVELED EDGE
COLOR	DIAMOND BLACK	DIAMOND BLACK
QUANTITY OF COOKING ZONES	4	2
Ø 120 ~ 180 MM	_	_
Ø 200 MM	2 INDUCTION (2000 W)	1 INDUCTION (200
Ø 160 MM	2 INDUCTION(1400 W)	1 INDUCTION (140
Ø 140 MM	_	_
INDUCTION TECHNOLOGY	\checkmark	\checkmark
AUTOMATIC SHUT-OFF	\checkmark	\checkmark
COOKING LEVELS	9	9
CONTROL SYSTEM	тоисн	тоисн
DIGITAL TIMER	\checkmark	\checkmark
COOLING FAN	\checkmark	\checkmark
RESIDUAL HEAT INDICATOR	\checkmark	\checkmark
LOCK	\checkmark	\checkmark

MODEL	MAGNE - BI 1931	MAGNE - BI 1721
HOB TYPE	INDUCTION HOB	INDUCTION HOB
PRODUCT DIMENSION	900 X 350 X 75 MM	730 X 420 X 75 M
CUT-OUT DIMENSION	880 X 330 MM	718 X 398 MM
MATERIAL	CERAMIC GLASS WITH	CERAMIC GLASS
	BEVELED EDGE	BEVELED EDGE
COLOR	DIAMOND BLACK	DIAMOND BLACK
QUANTITY OF COOKING ZONES	3	2
Ø 120 - 180 MM	_	-
Ø 200 MM	2 INDUCTION (2000 W)	2 INDUCTION (20
Ø 160 MM	1 INDUCTION (1500 W)	-
Ø 140 MM	_	-
INDUCTION TECHNOLOGY	\checkmark	\checkmark
AUTOMATIC SHUT-OFF	\checkmark	\checkmark
COOKING LEVELS	9 + BOOSTER	9
CONTROL SYSTEM	TOUCH	TOUCH
DIGITAL TIMER	\checkmark	\checkmark
COOLING FAN	\checkmark	\checkmark
RESIDUAL HEAT INDICATOR	\checkmark	\checkmark
LOCK	\checkmark	~

MAGNE - BI 1321

I
IM
WITH
<
000 W)
00 W)

1
4
1M
WITH
K
000 W)

BUILT-IN INDUCTION + VITROCERAMIC

MODEL	COMBINATO - BK 1731
НОВ ТҮРЕ	INDUCTION + VITROCERAMIC HOB
PRODUCT DIMENSION	730 X 420 X 75 MM
CUT-OUT DIMENSION	718 X 398 MM
MATERIAL	CERAMIC GLASS WITH BEVELED EDGE
COLOR	DIAMOND BLACK
QUANTITY OF COOKING ZONES	3
Ø 120 ~ 180 MM	1 CERAMIC (700 W - 1700 W)
Ø 200 MM	1 INDUCTION (2000 W)
Ø 160 MM	-
Ø 140 MM	1 CERAMIC (1200 W)
INDUCTION TECHNOLOGY	\checkmark
AUTOMATIC SHUT-OFF	\checkmark
COOKING LEVELS	9
CONTROL SYSTEM	тоисн
DIGITAL TIMER	\checkmark
COOLING FAN	\checkmark
RESIDUAL HEAT INDICATOR	\checkmark
LOCK	\checkmark



COMBINATO - BK 1731

MODEL	COMBINATO - BK 1721
НОВ ТҮРЕ	INDUCTION + VITROCERAMIC HOB
PRODUCT DIMENSION	730 X 420 X 75 MM
CUT-OUT DIMENSION	718 X 398 MM
MATERIAL	CERAMIC GLASS WITH BEVELED EDGE
COLOR	DIAMOND BLACK
QUANTITY OF COOKING ZONES	2
Ø 120 ~ 180 MM	1 CERAMIC (700 W - 1700 W)
Ø 200 MM	1 INDUCTION (2000 W)
Ø 160 MM	-
Ø 140 MM	-
INDUCTION TECHNOLOGY	\checkmark
AUTOMATIC SHUT-OFF	\checkmark
COOKING LEVELS	9
CONTROL SYSTEM	тоисн
DIGITAL TIMER	\checkmark
COOLING FAN	\checkmark
RESIDUAL HEAT INDICATOR	\checkmark
LOCK	\checkmark



COMBINATO - BK 1721





BUILT-IN VITROCERAMIC



VETRO - BC 1941



MODEL	VETRO - BC 1941
НОВ ТҮРЕ	VITROCERAMIC HOB
PRODUCT DIMENSION	900 X 350 X 75 MM
CUT-OUT DIMENSION	880 X 330 MM
MATERIAL	CERAMIC GLASS WITH BEVELED EDGE
COLOR	DIAMOND BLACK
QUANTITY OF COOKING ZONES	4
Ø 140 - 250 MM	-
Ø 210 MM	2300 W
Ø 140 - 210 MM	-
Ø 120 - 180 MM	700 W ~ 1700 W
Ø 180 MM	-
Ø 140 MM	2 (1200 W)
INFRA-RED TECHNOLOGY	\checkmark
AUTOMATIC SHUT-OFF	\checkmark
COOKING LEVELS	9
CONTROL SYSTEM	TOUCH
DIGITAL TIMER	\checkmark
SECURITY BLOCKING SYSTEM	\checkmark
RESIDUAL HEAT INDICATOR	\checkmark
LOCK	\checkmark

MODEL	VETRO - BC 1931
НОВ ТҮРЕ	VITROCERAMIC HOB
PRODUCT DIMENSION	900 X 350 X 75 MM
CUT-OUT DIMENSION	880 X 330 MM
MATERIAL	CERAMIC GLASS WITH BEVELED EDGE
COLOR	DIAMOND BLACK
QUANTITY OF COOKING ZONES	3
Ø 140 - 250 MM	-
Ø 210 MM	-
Ø 140 - 210 MM	1000 W ~ 2200 W
Ø 120 - 180 MM	700 W ~ 1700 W
Ø 180 MM	-
Ø 140 MM	1200 W
INFRA-RED TECHNOLOGY	\checkmark
AUTOMATIC SHUT-OFF	\checkmark
COOKING LEVELS	9
CONTROL SYSTEM	тоисн
DIGITAL TIMER	\checkmark
SECURITY BLOCKING SYSTEM	\checkmark
RESIDUAL HEAT INDICATOR	\checkmark
LOCK	\checkmark

MODEL	VETRO - BC 1741	VETRO - BC 1641
НОВ ТҮРЕ	VITROCERAMIC HOB	VITROCERAMIC HOB
PRODUCT DIMENSION	770 X 510 X 75 MM	580 X 510 X 75 MM
CUT-OUT DIMENSION	750 X 490 MM	560 X 490 MM
MATERIAL	CERAMIC GLASS WITH	CERAMIC GLASS WITH
	BEVELED EDGE	BEVELED EDGE
COLOR	DIAMOND BLACK	DIAMOND BLACK
QUANTITY OF COOKING ZONES	4	4
Ø 140 ~ 250 MM	1100 - 2000 W	-
Ø 210 MM	_	-
Ø 140 - 210 MM	1000 W ~ 2200 W	1000 W ~ 2200 W
Ø 120 - 180 MM	_	700 W ~ 1700 W
Ø 180 MM	1800 W	-
Ø 140 MM	1200 W	2 (1200 W)
INFRA-RED TECHNOLOGY	\checkmark	\checkmark
AUTOMATIC SHUT-OFF	\checkmark	\checkmark
COOKING LEVELS	9	9
CONTROL SYSTEM	тоисн	тоисн
DIGITAL TIMER	\checkmark	\checkmark
SECURITY BLOCKING SYSTEM	\checkmark	\checkmark
RESIDUAL HEAT INDICATOR	\checkmark	\checkmark
LOCK	~	\checkmark



VETRO - BC 1741

MODEL	VETRO - BC 1721	VETRO - BC 1321
НОВ ТҮРЕ	VITROCERAMIC HOB	VITROCERAMIC HOB
PRODUCT DIMENSION	730 X 420 X 75 MM	290 X 510 X 65 MM
CUT-OUT DIMENSION	718 X 398 MM	270 X 490 MM
MATERIAL	CERAMIC GLASS WITH	CERAMIC GLASS WITH
	BEVELED EDGE	BEVELED EDGE
COLOR	DIAMOND BLACK	DIAMOND BLACK
QUANTITY OF COOKING ZONES	2	2
Ø 140 ~ 250 MM	_	-
Ø 210 MM	_	_
Ø 140 - 210 MM	1000 W ~ 2200 W	-
Ø 120 - 180 MM	700 W ~ 1700 W	700 W ~ 1700 W
Ø 180 MM	_	_
Ø 140 MM	_	1200 W
INFRA-RED TECHNOLOGY	~	\checkmark
AUTOMATIC SHUT-OFF	\checkmark	\checkmark
COOKING LEVELS	9	9
CONTROL SYSTEM	тоисн	тоисн
DIGITAL TIMER	~	\checkmark
SECURITY BLOCKING SYSTEM	\checkmark	\checkmark
RESIDUAL HEAT INDICATOR	~	\checkmark
LOCK	~	\checkmark



VETRO - BC 1721



VETRO - BC 1641



BUILT-IN GAS



DURATURO - BH 2933 LL



MODEL	DURATURO - BH 2933 LL
PRODUCT DIMENSION	865 X 510 X 100 MM
CUT-OUT DIMENSION	827 X 470 MM
MATERIAL	TEMPERED GLASS
COLOR	DIAMOND BLACK
QUANTITY OF BURNERS	3
TRIPLE FLOW BURNER	-
DOUBLE RING BURNER	2 (4300 W)
LARGE BURNER	-
MEDIUM BURNER	1 (1880 W)
GAS SAFETY TECHNOLOGY	\checkmark
ONE HAND IGNITION	\checkmark
CAST IRON GRID	\checkmark
ANTI SLIP FEET	-

MODEL	DURATURO - BH 2723 LL	
PRODUCT DIMENSION	780 X 480 X 100 MM	
CUT-OUT DIMENSION	700 X 400 MM5	
MATERIAL	TEMPERED GLASS	
COLOR	DIAMOND BLACK	
QUANTITY OF BURNERS	2	
TRIPLE FLOW BURNER	_	
DOUBLE RING BURNER	2 (4300 W)	
LARGE BURNER	_	
MEDIUM BURNER	_	
GAS SAFETY TECHNOLOGY	\checkmark	
ONE HAND IGNITION	\checkmark	
CAST IRON GRID	\checkmark	
ANTI SLIP FEET	\checkmark	

_

MODEL	MASSIMO - BH 4934
PRODUCT DIMENSION	865 X 510 X 100 MM
CUT-OUT DIMENSION	827 X 470 MM
MATERIAL	TEMPERED GLASS
COLOR	DIAMOND BLACK
QUANTITY OF BURNERS	3
TRIPLE FLOW BURNER	2 (4700 W)
LARGE BURNER	-
MEDIUM BURNER	1 (1880 W)
GAS SAFETY TECHNOLOGY	\checkmark
ONE HAND IGNITION	\checkmark
CAST IRON GRID	\checkmark
ANTI SLIP FEET	-



MASSIMO - BH 4934

MODEL	MASSIMO - BH 4724
PRODUCT DIMENSION	750 X 450 X 100 MM
CUT-OUT DIMENSION	660 X 360 MM, R35
MATERIAL	TEMPERED GLASS
COLOR	DIAMOND BLACK
QUANTITY OF BURNERS	2
TRIPLE FLOW BURNER	2 (4700 W)
LARGE BURNER	_
MEDIUM BURNER	-
GAS SAFETY TECHNOLOGY	\checkmark
ONE HAND IGNITION	\checkmark
CAST IRON GRID	\checkmark
ANTI SLIP FEET	\checkmark



MASSIMO - BH 4724



17

Compact Series & Oven

Features



Combi Oven (Microwave + Electric)

This multifuction oven offers convenience to choose between the microwave, grill or convection oven function, depending on the meal that is being cooked.



8 Multifunction

8 different cooking functions with top, bottom, back heatings and its various combination, adjustable in accordance with the dish that is being cooked.



Steam Function Use the adjustable temperature steam function for healthy, oil-free cooking.



Auto Cooking Programs

Cooking a wide variety of dishes is easier than ever, with 12 automatic cooking program settings.



Convection Function / Fan

The convection oven function uses a fan to distribute heat throughout the oven cavity, resulting in evenly cooked food.



Stainless Steel Cavity

The oven cavity is made from food- grade stainless steel to ensure the food is safe from corrosion contamination.



COMPACT COMBI OVEN



VICINO - BV 3435

COMPACT STEAM OVEN

COMPACT ELECTRIC OVEN





MODEL	VICINO - BV 3435
MAIN FUNCTION	COMBI OVEN (MICROWAVE + OVEN)
PRODUCT DIMENSION	595 X 610 X 455 MM
CUT-OUT DIMENSION	595 X 550 X 450 MM
CAPACITY	40 LITERS
WATER TANK CAPACITY	_
LOWER / STEAM HEATER	1000 W
CONVECTION / BACK HEATER	1650 W
GRILL / UPPER HEATER	1500 W
MICROWAVE POWER	1000 W
STEAM HEATER	_
INSTALLATION TYPE	BUILT IN
CONTROL SYSTEM	TOUCH CONTROL
UNIVERSAL / MULTI FUNCTION	9
AUTO COOKING PROGRAM	12
MICROWAVE PROGRAM	5
LAYERS OF DOOR GLASS	2 LAYERS
CONVECTION FAN	\checkmark
TIMER	\checkmark
ULTRAFLOW TECHNOLOGY	\checkmark
CAVITY MATERIAL	STAINLESS STEEL
CHROME SHELVES RAILING	\checkmark
OVEN TRAY & SHELVES	\checkmark
OVEN LAMP	\checkmark
TURNSPIT	-

MODEL	VICINO - BT 3435	VICINO - BO 343
MAIN FUNCTION	STEAM OVEN	ELECTRIC OVEN
PRODUCT DIMENSION	595 X 475 X 455 MM	595 X 610 X 455 M
CUT-OUT DIMENSION	595 X 550 X 450 MM	595 X 550 X 450
CAPACITY	36 LITERS	40 LITERS
WATER TANK CAPACITY	1.2 LITERS	_
LOWER / STEAM HEATER	1740 W	1000 W
CONVECTION / BACK HEATER	1650 W	1650 W
GRILL / UPPER HEATER	1500 W	1400 W
MICROWAVE POWER	-	-
INSTALLATION TYPE	BUILT IN	BUILT IN
CONTROL SYSTEM	TOUCH CONTROL	TOUCH CONTRO
UNIVERSAL / MULTI FUNCTION	8	7
AUTO COOKING PROGRAM	-	-
MICROWAVE PROGRAM	-	_
LAYERS OF DOOR GLASS	3 LAYERS	3 LAYERS
CONVECTION FAN	\checkmark	\checkmark
TIMER	\checkmark	\checkmark
ULTRAFLOW TECHNOLOGY	\checkmark	\checkmark
CAVITY MATERIAL	STAINLESS STEEL	PYROGRAPHITE
CHROME SHELVES RAILING	\checkmark	\checkmark
OVEN TRAY & SHELVES	\checkmark	\checkmark
OVEN LAMP	\checkmark	\checkmark
TURNSPIT	_	\checkmark

35	
l	
MM	
MM	
)L	
	_

MODEL	BRAVO - BO 6633
MAIN FUNCTION	ELECTRIC OVEN
PRODUCT DIMENSION	595 X 610 X 595 MM
CUT-OUT DIMENSION	560 X 550 X 585 MM
COLOR	DIAMOND BLACK
CAPACITY	67 LITERS
LOWER HEATER	1200 W
CONVECTION / BACK HEATER	2100 W
GRILL / UPPER HEATER	1000 W & 1900 W
INSTALLATION TYPE	BUILT IN
CONTROL SYSTEM	TOUCH CONTROL
COOKING FUNCTION	11
DOOR CLOSE SYSTEM	SOFT CLOSE SYSTEM
AMOUNT OF DOOR GLASS	3 LAYERS
CONVECTION FAN	\checkmark
ULTRAFLOW TECHNOLOGY	\checkmark
CHROME SHELVES RAILING	\checkmark
CAVITY MATERIAL	PYROGRAPHITE
OVEN TRAY & SHELVES	\checkmark
TRIPLE OVEN DOOR GLASS	\checkmark
OVEN LAMP	\checkmark
TURNSPIT	\checkmark
TIMER	\checkmark

MODEL	VICINO - BP 3435
MAIN FUNCTION	WATER DISPENSER
PRODUCT DIMENSION	595 X 400 X 455 MM
BUILT-IN DIMENSION	565 X 550 X 450 MM
LOADING SYSTEM	BOTTOM
INSTALLATION	BUILT-IN
WATER TUBE MATERIAL	STAINLESS STEEL 304
COLOR	STAINLESS BLACK
AMOUNT OF TAPS	2 TAPS
WATER OUTPUT	NORMAL → HOT, COLD, NORMAL
HOT WATER FLOW	26 L/HR
COLD WATER FLOW	1.2 L/HR
HOT WATER TUBE CAPACITY	INSTANT WITHOUT TUBE
COLD WATER TUBE	1.1 L
CAPACITY	
HOT WATER TEMPERATURE	≥ 90°C
COLD WATER TEMPERATURE	≤ 14°C
REFRIGERANT TYPE	R600A
HEATING POWER	2100 W
COOLING POWER	120 W
WATER PUMP POWER	10 W
DIGITAL DISPLAY	\checkmark
WATER STORAGE SENSOR	\checkmark
CHILD LOCK	\checkmark
THERMOSTANT	\checkmark

MODEL	VICINO - BW 3435
MAIN FUNCTION	WINE CELLAR
PRODUCT DIMENSION	595 X 610 X 455 MM
CUT-OUT DIMENSION	595 X 550 X 450 MM
COLOR	STAINLESS + BLACK
INSTALLATION TYPE	BUILT IN
QUANTITY OF DOOR	1 DOOR
CAPACITY	24 BOTTLE
POWER	100 W
TEMPERATURE	+5°C TO +22°C
REFRIGERANT TYPE	R600A
COOLING COMPARTMENT	1
CONTROL SYSTEM	SOFT BUTTON + LED DISPLAY
ANTI-UV GLASS	\checkmark
FAN COOLING SYSTEM	\checkmark
ECO ENERGY SYSTEM	\checkmark
MOVABLE WOODEN SHELVES	\checkmark
DOOR ALARM	\checkmark
LED LIGHT	\checkmark
TEMPERATURE DISPLAY	\checkmark

ELECTRIC OVEN



BRAVO - BO 6633

COMPACT WATER DISPENSER

VICINO - BP 3435



COMPACT WINE CELLAR

		1
		1





Features



Downdraft Hood

This downdraft hood lifts up during use but is otherwise hidden below the kitchen work surface, keeping the cooking area clear for a modern streamlined look.



Smart Reminder

The smart reminder feature tells you when it is time to clean or change the carbon filter, for optimal hood performance.



Carbon Active + Vit-C Filter A filter made of special materials impregnated with vitamin C, resulting in fresh and clean kitchen air.



Peritraction System

A more focused air suction design for faster ventilation, keeping the kitchen clean and smoke-free while you cook.



Germinator System

The germinator system distributes active ions that effectively eliminate germs and bacteria as well as cleans dirty air.



Oil Collector

Keeps the inside of the hood clean and makes maintenance easier by collecting the grease carried by the vapor in a special container.

DOWNDRAFT HOOD



MODEL	AVANZARE - DX 9907
HOOD TYPE	DOWNDRAFT
PRODUCT DIMENSION	880 X 380 X (736-1200) MM
CUT-OUT DIMENSION	868 X 98 X 736 MM
MATERIAL	STAINLESS & TEMPERED GLASS
COLOR	BLACK & STAINLESS
AIRFLOW	1200 M3/H (42378 FT3/H)
MOTOR POWER	320 W
LAMP TYPE	LED (WARM WHITE)
LAMP POWER	2 X 1.5 W
OUTLET DIAMETER	150 MM
SPEED LEVEL	4 → 3 + 1 TURBO
CONTROL SYSTEM	TOUCH CONTROL
DISPLAY SCREEN	LED
GERMINATOR TECHNOLOGY	-
VITAMIN C FILTER	_
CLEANING REMINDER	-
CASSETTE ALUMINIUM FILTER	\checkmark
CARBON FILTER	\checkmark
SHUT-OFF TIMER	-
OIL COLLECTOR	-
CHIMNEY	-
EXTRA EXTENSIBLE HOSE	\checkmark

WALL CHIMNEY

MODEL	FORLI - CX 9753
HOOD TYPE	WALL CHIMNEY
PRODUCT DIMENSION	900 X 405 X (1080-1360) MM
CUT-OUT DIMENSION	-
MATERIAL	STAINLESS & TEMPERED GLASS
COLOR	BLACK & STAINLESS
AIRFLOW	900 M3/H (31783 FT3/H)
MOTOR POWER	190 W
LAMP TYPE	LED (NEUTRAL WHITE)
LAMP POWER	2 X 1.5 W
OUTLET DIAMETER	150 MM
SPEED LEVEL	3
CONTROL SYSTEM	TOUCH CONTROL
DISPLAY SCREEN	LCD
GERMINATOR TECHNOLOGY	\checkmark
VITAMIN C FILTER	\checkmark
CLEANING REMINDER	\checkmark
CASSETTE ALUMINIUM FILTER	\checkmark
CARBON FILTER	\checkmark
SHUT-OFF TIMER	\checkmark
OIL COLLECTOR	-
CHIMNEY	\checkmark
EXTRA EXTENSIBLE HOSE	\checkmark



FORLI - CX 9753

ISLAND CHIMNEY

MODEL	SVOLTA ISOLA - IX 9107	SVOLTA - CX 9107
HOOD TYPE	ISLAND CHIMNEY	WALL CHIMNEY
PRODUCT DIMENSION	900 X 600 X	900 X 500 X
	(800-1165) MM	(530 - 1005) MM
CUT-OUT DIMENSION	_	-
IATERIAL	STAINLESS &	STAINLESS &
	TEMPERED GLASS	TEMPERED GLASS
OLOR	BLACK & STAINLESS	BLACK & STAINLESS
IRFLOW	1200 M3/H (42378 FT3/H)	1000 M3/H (35315 FT3/H)
OTOR POWER	320 W	198 W
AMP TYPE	LED (WARM WHITE)	LED (WARM WHITE)
MP POWER	4 X 1.0 W	2 X 1.0 W
JTLET DIAMETER	150 MM	150 MM
PEED LEVEL	4 → 3 + 1 TURBO	4 → 3 + 1 TURBO
NTROL SYSTEM	TOUCH CONTROL	TOUCH CONTROL
SPLAY SCREEN	LED	LED
ERMINATOR TECHNOLOGY	_	-
ITAMIN C FILTER	_	-
LEANING REMINDER	_	-
ASSETTE ALUMINIUM FILTER	~	\checkmark
ARBON FILTER	~	\checkmark
IUT-OFF TIMER	~	\checkmark
IL COLLECTOR	\checkmark	\checkmark
HIMNEY	\checkmark	\checkmark
TRA EXTENSIBLE HOSE	\checkmark	~





WALL CHIMNEY





Features



Granitech

Strong granite quartz materials gives better durability, comfort and convenience for users, and is easily cared for.



4X Stronger

Protective layer on the sink bottom reduces the risk of long-term cracks and increases the impact resistance by four.




Complete Pipes Installation Equipped with complete pipe installation, including an 'S' pipe to prevent unpleasant odors from flowing back into the kitchen.



Easy to Clean

The ProHygenic Protection surface prevents dirt from sticking to the sink, keeps it easy to clean and odour-free.



Powerganic

The granite quartz fibers are infused by special organic fibers to make the sink stronger.




Flexible Body

Wash food, pots and pans with ease using this flexible tap, which can be angled in any direction desired.

GRANITECH SINK







MAGGIORE - KS 9200S LM / WP / GS



MAGGIORE - KS 9111S LM / WP / GS





MAGGIORE - KS 9101S LM / WP / GS





MAGGIORE - KS 9100S LM / WP / GS

MODEL	MAGGIORE - KS 9200S	MAGGIORE - KS 9111S
	LM/WP/GS	LM/WP/GS
PRODUCT DIMENSION	860 X 500 X 245 MM	1000 X 500 X 195 MM
CUT-OUT DIMENSION	840 X 480 X R10 MM	600 X 480 X R10 MM
MATERIAL	GRANITECH SINK -	GRANITECH SINK -
	CRISTADUR	CRISTADUR
COLOR	BLACK MAGMA	BLACK MAGMA
	WHITE POLARIS	WHITE POLARIS
	GREY STONE	GREY STONE
AMOUNT OF BOWL	2 BOWLS	1.5 BOWL + DRAINER
1ST BOWL DIMENSION	304 X 365 X 210 MM	159 X 352 X 120 MM
2ND BOWL DIMENSION	450 X 430 X 210 MM	344 X 430 X 195 MM
UNDER-MOUNT INSTALLATION	~	\checkmark
TOP-MOUNT INSTALLATION	~	\checkmark
FLUSH-MOUNT INSTALLATION	_	\checkmark
PROTECTIVE LAYER	~	\checkmark
ON THE SINK BOTTOM		
SURFACE WITH NATURAL	~	\checkmark
PROHYGIENIC21 PROTECTION		
POWERGANIC	~	\checkmark
SUPER SILK SURFACE	~	\checkmark
STONY SURFACE	_	-
OVERFLOW SAFETY	~	✓
S-PIPE	~	\checkmark
INSTALLATION PIPES	\checkmark	\checkmark

MODEL	MAGGIORE - KS 9101S	MAGGIORE - KS 9100S
	LM/WP/GS	LM/WP/GS
PRODUCT DIMENSION	860 X 500 X 210 MM	790 X 500 X 210 MM
CUT-OUT DIMENSION	840 450 X 480 X R10 MM	770 X 480 X R10 MM
MATERIAL	GRANITECH SINK -	GRANITECH SINK -
	CRISTADUR	CRISTADUR
COLOR	BLACK MAGMA	BLACK MAGMA
	WHITE POLARIS	WHITE POLARIS
	GREY STONE	GREY STONE
AMOUNT OF BOWL	1 BOWL + DRAINER	1 BOWL
1ST BOWL DIMENSION	347 X 430 X 195 MM	720 X 384 X 195 MM
2ND BOWL DIMENSION	_	_
UNDER-MOUNT INSTALLATION	\checkmark	\checkmark
TOP-MOUNT INSTALLATION	\checkmark	\checkmark
FLUSH-MOUNT INSTALLATION	\checkmark	_
PROTECTIVE LAYER	\checkmark	\checkmark
ON THE SINK BOTTOM		
SURFACE WITH NATURAL	\checkmark	\checkmark
PROHYGIENIC21 PROTECTION		
POWERGANIC	~	\checkmark
SUPER SILK SURFACE	\checkmark	\checkmark
STONY SURFACE	_	_
OVERFLOW SAFETY	\checkmark	\checkmark
S-PIPE	\checkmark	\checkmark
INSTALLATION PIPES	~	\checkmark

MODEL	MAGGIORE - KS 9110S	MOLVENO -
	LM/WP/GS	KS 9210C LN/WA
PRODUCT DIMENSION	456 X 456 X 240 MM	860 X 500 X 200 MM
CUT-OUT DIMENSION	442 X 442 X R10 MM	840 X 480 X R10 MM
MATERIAL	GRANITECH SINK -	GRANITECH SINK -
	CRISTADUR	CRISTALITE+
COLOR	BLACK MAGMA	BLACK NERO
	WHITE POLARIS	WHITE ALPINA
	GREY STONE	
AMOUNT OF BOWL	1 BOWL	2 BOWLS
1ST BOWL DIMENSION	400 X 400 X 200 MM	360 X 430 X 200 MM
2ND BOWL DIMENSION	_	360 X 430 X 200 MM
UNDER-MOUNT INSTALLATION	\checkmark	\checkmark
TOP-MOUNT INSTALLATION	\checkmark	\checkmark
FLUSH-MOUNT INSTALLATION	_	_
PROTECTIVE LAYER	\checkmark	_
ON THE SINK BOTTOM		
SURFACE WITH NATURAL	\checkmark	\checkmark
PROHYGIENIC21 PROTECTION		
POWERGANIC	\checkmark	_
SUPER SILK SURFACE	\checkmark	_
STONY SURFACE	_	\checkmark
OVERFLOW SAFETY	\checkmark	\checkmark
S-PIPE	\checkmark	\checkmark
INSTALLATION PIPES	\checkmark	\checkmark






MAGGIORE - KS 9110S LM / WP / GS

MODEL	MOLVENO - KS 9121C	MEZZANO - KS 9131C
	LN/WA	LN/WA
PRODUCT DIMENSION	860 X 500 X 200 MM	860 X 500 X 204 MM
CUT-OUT DIMENSION	840 450 X 480 X R10 MM	840 450 X 480 X R10 MM
MATERIAL	GRANITECH SINK -	GRANITECH SINK -
	CRISTALITE+	CRISTALITE+
COLOR	BLACK NERO	BLACK NERO
	WHITE ALPINA	WHITE ALPINA
AMOUNT OF BOWL	1 BOWL + DRAINER	1 BOWL + DRAINER
1ST BOWL DIMENSION	329 X 429 X 200 MM	348 X 422 X 204 MM
2ND BOWL DIMENSION	_	-
UNDER-MOUNT INSTALLATION	~	\checkmark
TOP-MOUNT INSTALLATION	\checkmark	\checkmark
FLUSH-MOUNT INSTALLATION	_	-
PROTECTIVE LAYER	_	-
ON THE SINK BOTTOM		
SURFACE WITH NATURAL	~	\checkmark
PROHYGIENIC21 PROTECTION		
POWERGANIC	-	-
SUPER SILK SURFACE	_	-
STONY SURFACE	~	\checkmark
OVERFLOW SAFETY	\checkmark	✓
S-PIPE	\checkmark	✓
INSTALLATION PIPES	\checkmark	\checkmark





MOLVENO - KS 9121C LN / WA



KITCHEN TAP



MODEL	PRIMAVERA - KT 3560
PRODUCT DIMENSION	48 X 220 X 510 MM
CUT-OUT DIMENSION	Ø 35 MM
BODY MATERIAL	BRASS
HANDLE MATERIAL	ZINC
CARTRIDGE MATERIAL	CERAMIC
COLOR	BLACK
	CHERRY RED
	WHITE
	ROYAL BLUE
	SEVILLE ORANGE
WATER OUTPUT	NORMAL, WARM & HOT
SHOWER	PULL DOWN
LEFT/RIGHT WAY SHOWER HEAD	\checkmark
ADJUSTABLE SPRAY	\checkmark
FLEXIBLE BODY	\checkmark
MIXED WATER INLET	\checkmark
FLEXIBLE HOSE	\checkmark



PRIMAVERA - KT 3560 L / R / W / U / O

MODEL	PRIMAVERA - KT 3350
PRODUCT DIMENSION	51 X 281 X 508 MM
CUT-OUT DIMENSION	Ø 33-35 MM
BODY MATERIAL	BRASS
HANDLE MATERIAL	ZINC
CARTRIDGE MATERIAL	CERAMIC
COLOR	STAINLESS CHROME
WATER OUTPUT	NORMAL, WARM & HOT
SHOWER	PULL DOWN
LEFT/RIGHT WAY SHOWER HEAD	\checkmark
ADJUSTABLE SPRAY	-
FLEXIBLE BODY	\checkmark
MIXED WATER INLET	\checkmark
FLEXIBLE HOSE	\checkmark



PRIMAVERA - KT 3350



SERVICES

WARRANTY

Shop Online

Shop at your convenience through our online store, <u>www.modena.co.id.</u> Discover our extensive range of products and learn about our innovative features in the comfort of your own home.

Nationwide Coverage

With more than 70 service centers spread across the nation, customers can now easily access any of our MODENA Service Centers and Authorized Service Centers.

Service Contract

Periodic visits for regular maintenance to ensure your product is always at its best.

Same Day Service

We are available to visit your place at a mutually agreed schedule on the very same day you make a call to our Service Center.

Free installation

Complimentary installation service for selected product categories.

Weekend Service

We are available to make weekend visit to ensure prompt and efficient service.

Accessories & Product Support

We provide premium accessories for hobs, water heaters, washing machines and many other products.

Online Self Service

Should you have any questions or suggestions, we welcome them also through our website or email us at <u>customercare@modena.co.id.</u>

MODENA ELETTRODOMESTICI

Via Vincenzo Monti 8, Milano 20123, Italy

MODENA INDONESIA

Jl. Prof. Dr. Satrio C-4 No. 13, Jakarta 12950, Indonesia customercare@modena.co.id WhatsApp: +62.8151.15.007.15

Jl. Suryo No. 22, Jakarta 12180, Indonesia (opening soon in 2018)

NATIONWIDE CALL CENTER 15.007.15

Hob

1-year Warranty : Service & spare parts3-year Warranty : Gas burner & ignition generatorLifetime Warranty : Glass plate

Compact Series & Oven

1-year Warranty : Service & spare parts
2-year Warranty : Magnetron (for BV 3435)
3-year Warranty :

- Compressor (for BP 3435)
- Glass door (for BV 3435, BT 3435, BO 3435 & BO 6633)

Hood

1-year Warranty : Service & spare parts3-year Warranty : Motor

Sink & Tap

1-year Warranty : Service & spare parts

Smart Living