MODENA






Copyright © 2022 MODENA, All rights reserved



Our vision to become a driving force towards an interconnected future is what drives us here at MODENA.

Every day, we strive to make life easier for all our customers by creating sophisticated products that are simple to operate.

Supported by a design studio in Italy, world-class R&D centers, and manufacturing facilities around the globe, we have earned the trust of customers worldwide as a provider of home and living solutions that are renowned for their aesthetic refinement, as well as their longevity and innovative technology.





1960s

MODENA inception in Emilia Romagna-Italy.

1970s

Range expansion & beginning of export.



1980s

MODENA moves its global headquarter to Asia.

2010s

Range expansion into Professional, Energy, Mobility and beyond.

Inspired by the way you perform your daily activities.


We look to you as we innovate and create new, exciting products. Here, you will discover our best product line-up yet, including Nebula Glass hobs, multi-functional ovens, sterilizing chimney hoods, and more - the manifestations of our mission to make life better and easier for you.





Time is essence of practicality.

Between the hustle and bustle of modern life, it is important to reward yourself with moments of comfort. Therefore, we equip all our products with built-in features, designed to give you the ultimate peace and convenience. Our best-selling portable induction cooker, for example, comes in a lightweight design that enhances mobility, allowing you to cook whenever and wherever you please.





Contents

Built-in Hobs

Hoods

Oven

Microwave

Refrigerator

Dishwasher













Gas Safety Technology

Ensures the safety of the cooker, as the thermocouple sensor immediately shuts off the gas flow once the cooking flame is extinguished.



Super Alloy Burner

Processed with isothermal forging at over 850°C, which increases durability and allows higher and faster heat convection.



One Hand Ignition

Lighter that is integrated with the knob that makes it easy to turn the stove on.



Freezone Technology

More flexibility by combining the cooking zone into one big space for placing the cooking pans



Sliding Touch

The touch panel gives a modern impression on the stove appearance and simplifies the operation and setting process.


Introducing

The First Nebula Glass Hob.

Elegant and built-to-last, our kitchen hob is made from the strongest material in our long history of producing kitchen appliances.









BI 1325

Schott Glass with Beveled Edge 288 × 520 × 56 mm Diamond Black

Cut-Out Dimension 270 × 500 mm

ø 210 mm 2000 W x1 ø 160 mm 1500 W x 1 2 Quantity of Zones 9 Cooking Levels Slide Touch Control System Induction Technology Automatic Turn-Off Digital Timer Integrated Cooling System Residual Heat Indicator Child lock






BI 1625 F

Eurokera Glass with Beveled Edge 590 × 520 × 56 mm Diamond Black

Cut-Out Dimension 560 × 500 mm

ø 190 mm 2000 W (2600 W w/ Booster) x 2 ø 190 mm 1500 W (2000 W w/ Booster) x 2 ø 400 × 200 mm Freezone 3000 W (3600 W w/ Booster) x 2 2 Free Zones
9 Cooking Levels
Slide Touch Control System
Induction Technology
Booster Control
Automatic Turn-Off
Digital Timer
Integrated Cooling System
Residual Heat Indicator
Child lock




BI 0935 FAM

Nebula Ceramic Glass 900 × 520 × 56 mm Diamond Black


Cut-Out Dimension 880 × 500 mm

ø 190 mm 2000 W (2600 W w/ Booster) x 2 ø 190 mm 1500 W (2000 W w/ Booster) x 2 ø 280mm 2300 W (3000 W w/ Booster) x 1

2 Free zone + 1 Zone 9 Cooking Levels Slide Touch Control System Induction Technology Booster Control Automatic Turn-Off Digital Timer Integrated Cooling System Residual Heat Indicator Child lock







BC 1321 L


Eurokera Glass with Beveled Edge 288 × 520 × 52 mm Diamond Black


Cut-Out Dimension 270 × 500 mm

ø 165 mm 1200 W x 1

ø 120-200 mm 1000/2000 W x 1

2 Quantity of Zones 9 Cooking Levels Touch Control System Infrared Technology Automatic Turn-Off Digital Timer Integrated Cooling System Residual Heat Indicator Child Lock





BC 1640 LAM


Eurokera Glass with Beveled Edge $590 \times 520 \times 52$ mm Diamond Black

Cut-Out Dimension 560 × 500 mm

ø 165 mm 1200 W x 2 ø 200 mm 1800 W x 1

ø 138-230 mm 1100 /2200 W x 1

4 Quantity of Zones
9 Cooking Levels
Touch Control System
Infrared Technology
Automatic Turn-Off
Digital Timer
Integrated Cooling System
Residual Heat Indicator
Child Lock




BC 0955 LAM


Nebula Ceramic Glass 900 × 520 × 52 mm Diamond Black

Cut-Out Dimension 880 × 500 mm

ø 165 mm 1200 W x 2 ø 200 mm 1800 W x 1

ø 165-270 mm | 1100/2000 W x 1 ø 138-230 mm 1100/2000 W x 1 5 Quantity of Zones 9 Cooking Levels Touch Control System Infrared Technology Automatic Turn-Off Digital Timer Integrated Cooling System Residual Heat Indicator Child Lock






BE 1325


Nebula Tempered Glass Top Plate 300 × 510 × 90 mm Diamond Black

Cut-Out Dimension 266 × 478 mm

ø 180 mm 2000 W x 1 ø 110 mm 600 W x 1 2 Heating Plates Mechanical Control 6 Power Levels Residual Heat Indicator








BH 3324

Stainless Steel Panel $290 \times 500 \times 100 \text{ mm}$ Brilliant Stainless Steel

Cut-Out Dimension 266 × 478 mm

ø 3-Ring Burner 3400 W x 1 ø Medium Burner 1880 W x 1 2 Gas Burners
Eco Gas System
Gas Safety Technology
One Hand Ignition
Cast Iron Grid
Extra Nozzle for Natural Gas





BH 3649 STM

Stainless Steel Panel 580 × 500 × 90 mm Brilliant Stainless Steel

Cut-Out Dimension 552 × 470 mm

ø 3-Ring Burner 3400 W x 1 ø Medium Burner 1880 W x 2 ø Small Burner 900 W x 1 4 Gas Burners
Eco Gas System
Gas Safety Technology
One Hand Ignition
Cast Iron Grid
Extra Nozzle for Natural Gas




BH 3958 SAM

Stainless Steel Panel 860 × 500 × 90 mm **Brilliant Stainless Steel**

Cut-Out Dimension 827 ×470 mm

ø 3-Ring Burner 3400 W x 1 ø Large Burner 2400 W x 1 ø Medium Burner 1880 W x 2 ø Small Burner 900 W x 1

5 Gas Burners Eco Gas System Gas Safety Technology One Hand Ignition Cast Iron Grid Extra Nozzle for Natural Gas






BH 1325

Nebula Tempered Glass 300 × 510 × 100 mm Diamond Black

Cut-Out Dimension 266 × 478 mm

ø 3-Ring Burner 3400 W x 1 ø Medium Burner 1880 W x 1 2 Gas Burners
Eco Gas System
Gas Safety Technology
One Hand Ignition
Cast Iorn Grid
Extra Nozzle for Natural Gas





BH 2648 LBM


Nebula Tempered Glass 584 × 510 × 100 mm Diamond Black

Cut-Out Dimension 552 × 470 mm

ø 3-Ring Burner 3400 W x 1 ø Medium Burner 1880 W x 2

ø Small Burner 900 W x 1

4 Gas Burners
Eco Gas System
Gas Safety Technology
One Hand Ignition
Cast Iron Grid
Extra Nozzle for Natural Gas






BH 2958 LBM

Nebula Tempered Glass 874 × 510 × 100 mm Diamond Black

Cut-Out Dimension 827 × 475 mm

ø 3-Ring Burner 3400 W x 1 ø Large Burner 2400 W x 1 ø Medium Burner 1880 W x 2 ø Small Burner 900 W x 1 5 Gas Burners
Eco Gas System
Gas Safety Technology
One Hand Ignition
Cast Iron Grid
Extra Nozzle for Natural Gas













Aluminum Cassette Filter

This grease filter system consists of five aluminum layers, for optimal filtration resulting in clean air.



Touch Control System

Set and operate your hood with ease through this touch control system, and enjoy a modern and streamlined look kitchen.



Peritraction System

A more focused air suction design for faster ventilation, keeping the kitchen clean and smoke-free while you cook.



Germinator System

Gives out active ions which effectively kill germs and bacteria and cleans dirty air.



LED Lamp

Warm, energy-efficient lighting for optimal illumination in the kitchen.



Vit-C Filter

A filter made of special materials impregnated with vitamin C, resulting in fresh and clean kitchen air.



Carbon Active Filter

The filter contains active carbon particles that absorb smoke and neutralize unpleasant odors.



Exhaust & Recirculating System

A dual system that can be adjusted to your kitchen installation method, using either an exhaust or recirculation system.

Cool Blast Hood Technology™

Enjoy a pleasant cooking experience with our innovative hood technology, which works by absorbing hot air and steam as you cook and replacing it with cool, crisp air.








Germinator System





Carbon Active Filter





360° Air Hood - CX 6761


Tempered Glass 600 × 360 × 740 -1080 mm Diamond Black

New Innovation Hoods - Wall Type

Turbo Motor $1 \times 250 \text{ W}$ LED Lamp $2 \times 0.5 \text{ W}$ Cool Blast
Double Exhaust System
3 Speed Levels
Touch Control System
Hand Gesture System
Suction Power 750 m3/h

Aluminium Filter
Carbon Filter
2 Pcs Chimney
Extra Extensible Hose
Outlet Diameter 150 mm





360° Air Hood - CX 9761

Tempered Glass 900 × 360 × 740 - 1080 mm Diamond Black


New Innovation Hoods - Wall Type

Turbo Motor $1 \times 250 \text{ W}$ LED Lamp $2 \times 0.5 \text{ W}$ Cool Blast
Double Exhaust System
3 Speed Levels
Touch Control System
Hand Gesture System
Suction Power 750 m /h

Aluminium Filter
Carbon Filter
2 Pcs Chimney
Extra Extensible Hose
Outlet Diameter 150 mm

3





CX 7712 L


Galvanized Steel Material with Tempered Glass $695 \times 325 \times 680$ - 1070 mm Diamond Black

Wall Type

Turbo Motor 1 × 130 W LED Lamp 2 × 1 W 3 Speed Levels
Push Button Control System
Suction Power 700 m3/h
Cassette Aluminum Filter

Carbon Filter
2 Pcs Black Painted Chimney
Extra Extensible Hose
Outlet Diameter 150 mm





CX 9156


Stainless Steel with Tempered Glass 910 \times 505 \times 550 - 1030 mm Diamond Black

Wall Type

Turbo Motor 1 × 300 W LED Lamp 2 × 2 W Germinator Technology (Ionizer)
Peritraction System
Cleaning Reminder
Heat Sensor
LCD Display
Touch Control System
3 Speed Levels + Turbo
Cassette Aluminum Filter

Vitamin C Filter
Carbon Filter
Oil Collector
2 Pcs Stainless Steel Chimney
Extra Extensible Hose
Outlet Diameter 150 mm





CX 6150


Stainless Steel $600 \times 500 \times 560$ - 1040 mm Brilliant Stainless Steel

Wall Type

Turbo Motor $1 \times 200 \text{ W}$ LED Lamp $2 \times 0.5 \text{ W}$ Germinator Technology (Ionizer)
3 Speed Levels
Push Button Control System
Suction Power 900 m3/h
Cassette Aluminum Filter
Vitamin C Filter

Carbon Filter
Oil Collector
2 pcs Stainless Steel Chimney
Extra Extensible Hose
Outlet Diameter 150 mm





CX 9150

Stainless Steel $900 \times 500 \times 560 - 1040 \text{ mm}$ Brilliant Stainless Steel

Wall Type

Turbo Motor 1 × 200 W LED Lamp 2 × 0.5 W Germinator Technology (Ionizer) 3 Speed Levels Push Button Control System Suction Power 1000 m3/h Cassette Aluminum Filter Vitamin C Filter Carbon Filter
Oil Collector
2 pcs Stainless Steel Chimney
Extra Extensible Hose
Outlet Diameter 150 mm




SX 6001 S


Metal Body 600 × 520 × 150 mm Stainless Grey Painted

Slim Type

Motor $1 \times 125 \text{ W}$ Bulb $1 \times 40 \text{ W}$ Germinator Technology (Ionizer) 3 Speed Levels Push Button Control System Suction Power 400 m³/h Cassette Alumunium Filter Carbon Filter Vitamin C Filter Outlet Diameter 120 mm








SX 9502 V

Metal Body 900 × 495 × 150 mm Brilliant Stainless Steel

Slim Type

Motor $2 \times 125 \text{ W}$ Bulb $2 \times 40 \text{ W}$ Germinator Technology (Ionizer) 3 Speed Levels Push Button Control System Suction Power 520 m3/h Cassette Alumunium Filter Carbon Filter Vitamin C Filter Outlet Diameter 120 mm





SX 9002 S

Metal Body 900 × 520 × 150 mm Stainless Grey Painted

Slim Type

Motor $2 \times 125 \text{ W}$ Bulb $2 \times 40 \text{ W}$ Germinator Technology (Ionizer) 3 Speed Levels Push Button Control System Suction Power 520 m3/h Cassette Alumunium Filter Carbon Filter Vitamin C Filter Outlet Diameter 120 mm





MODENA







i ii iii

il il il






360° Circulation Heat

The convection fire heating system that can be programmed above and below, makes the oven's performance to be maximal.



Ultraflow Technology

Prevents heat from reaching the outside surface of the oven, by automatically switching on the cooling system when the oven turns on.



Triple Glass Door

A sturdy triple glass oven door ensures that the outer oven door surface stays cool.



Timer

Equipped with a 60-minute timer for handy reminders while cooking.



TFT Control System

A new panel control for quick and easy operation.

Multi-Function Oven Technology™

A refined range of multi-tasking ovens, each type is equipped with the latest innovations in cooking technology, enhancing your kitchen with a simple yet elegant look, even in smaller spaces.





Auto-Cooking Programs









Glass 595 × 610 × 595 mm Diamond Black

Electric Oven

Cut-Out Dimension $560 \times 550 \times 580 \text{ mm}$

Capacity: 80 Liters

Electric Lower Heater 1200 W Electric Back Heater 1800 W Electric Grill 1200 W + 2400 W 16 Multifunction Programs

Convection Fan

3 Layer Glass

Side Rack

Rotisserie

Digital Timer

TFT Control Panel + Electric Knob

System

Adjustable Thermostat

Ultraflow Cooling Technology

Oven Light


Meat Probe


1 Oven Rack

1 Oven Tray

1 Tray Handle

1 Deep Tray







Glass 595 × 610 × 595 mm Diamond Black

Electric Oven

Cut-Out Dimension $560 \times 550 \times 580 \text{ mm}$

Capacity: 67 Liters

Electric Lower Heater 1200 W Electric Back Heater 2100 W Electric Grill 1000 + 1900 W 11 Multifunction Programs

Convection Fan

3 Layer Glass

Side Rack

Rotisserie

Digital Timer

Full Touch Control System Adjustable Thermostat Ultraflow Cooling Technology

Oven light


Soft Closing Door


2 Oven Racks

1 Oven Tray

1 Tray Handle

Steam Oven Tray







Glass & Stainless Steel 595 × 610 × 595 mm Diamond Black + Brilliant Stainless Steel

Electric Oven

Cut-Out Dimension 560 × 550 × 580 mm

Capacity: 67 Liters

Electric Lower Heater 1200 W Electric Back Heater 2100 W Electric Grill 1000 + 1900 W 8 Multifunction Programs

Convection Fan

3 Layer Glass

Side Rack Rotisserie

_...

Digital timer

Knob + Button Control System

Adjustable Thermostat


Ultraflow Cooling Technology


Oven Light

2 Oven Racks

1 Oven Tray

1 Tray Handle







Glass 595 × 610 × 595 mm Diamond Black

Electric Oven

Cut-Out Dimension 560 × 550 × 580 mm

Capacity: 56 Liters

Electric Lower Heater 1200 W Electric Back Heater 2100 W Electric Grill 1000 + 1900 W 8 Multifunction Program

Convection Fan

3 Layer Glass

Side Rack

Rotisserie

Mechanical Timer

Knob Control System

Adjustable Thermostat


Ultraflow Cooling Technology


Oven Light

2 Oven Racks

1 Oven Tray

1 Tray Handle







BO 9130 SAM

Stainless Steel 895 × 568 × 475 mm Brilliant Stainless Steel

Electric Oven

Cut-Out Dimension $860 \times 550 \times 472 \text{ mm}$

Capacity: 110 Liters

Electric Lower Heater 1300 W Electric Back Heater 2800 W Electric Grill 1050 + 2000 W 9 Multifunction Programs

Convection Fan

3 Layer Glass

Side Rack

Rotisserie

Digital Timer

Knob + Button Control System

Adjustable Thermostat


Ultraflow Cooling Technology


Oven light

1 Oven Rack

1 Oven Tray

1 Small Rack







MG 2517 WAM


Glass & Stainless Steel 595 × 401 × 388 mm Pearl White + Brilliant Stainless Steel


Built-in Microwave Oven

Cut-Out Dimension 560 × 500 × 380 mm

Capacity: 25 Liters

Rated input (Microwave) 1450 W Rated output (Microwave) 900 W Microwave + Grill Stainless Steel Cavity 315 mm Glass Turntable 8 Auto Menu Deforst by Weight/Time Kitchen Timer Cooking End Signal Child Lock










OF \$ -258 Refrigerator & Dishwasher MODE

Built-in Refrigeratior and Dishwasher





WP 9153 WVM

Built-in Dishwasher 598 × 550 × 820 mm Pearl White

Cut-Out Dimension 600 × 570 x (820 - 870)

Power Input 1900 W


Energy Consumption 0.92 KWh/ Cycle


Water Consumption 12 L

Ultra AeroDry
15 Place Settings
5 Programs
3 Spray Arms
3 Layers of Basket
Electric Button Control

LED Display
1 - 19 h Delay Start
Half Load Function
Salt & Rinse Aid Indicator
Interior Light
Buzzer







RF 2927 WAM

Built-in Refrigerator 540 × 550 × 1769 mm Pearl White

Cut-Out Dimension 562 × 560 × 1774 mm


Defrost Power 180 W

Refrigerator Temperature $0 \, ^{\circ}\text{C} - 10 \, ^{\circ}\text{C}$

Freezer Temperature -18 °C

Total Capacity 254 L
Refrigerator Capacity 177 L
Total No Frost
Smart Digital Control
Multiflow Cooling System
Transparent Glass Shelf

Door Alarm LED Light Fresh Keeper Hettich™ Hinge



Interested in learning more about our product range?

Visit our website

www.modena.com

The best place for your home and living solutions.

We are experts in cooking, cleaning, cooling, and beyond,
as we are passionate about creating products that can make your life better and easier.

