

Freestanding Cooker,
Hood, Sink & Tap

MODENA



Freestanding Cooker Highlights

Kemampuan memasak yang tak terbatas hanya bisa ditemukan melalui Freestanding Cooker kami. Tahan lama dan mudah dibersihkan, lengkap dengan berbagai fungsi yang memastikan kinerja sempurna di setiap pemakaian.



Ecogas System

Penggunaan energi lebih efisien karena sirkulasi oksigen yang lancar guna menghasilkan api biru kuat dan stabil.



Tempered Crystal

Material kaca tempered nan mewah yang tahan terhadap panas dan beban berat, semakin sempurna dengan jaminan lifetime warranty untuk penggunaan selamanya.



One hand Ignition

Pemantik api yang terintegrasi dengan kenop yang memudahkan menyalakan Oven & Kompor.



Gas Safety Technology

Menjamin keamanan oven karena terdapat thermocouple yang akan langsung menutup aliran gas saat terjadi api padam.



Convection Function

Cocok untuk memasak kue kering karena kipas yang menyebarkan panas secara merata ke seluruh ruangan oven.



High quality burner

Sabaf Italy Burner, burner berkualitas tinggi untuk proses memasak yang optimal.



Grill Turnspit

Cara mudah untuk memasak daging panggang besar, ayam, dan kalkun; Terbuat dari baja nirkarat, Mudah dipasang, dioperasikan, dan dibersihkan




Timer

Atur waktu memasak sesuai dengan menu masakan.

Hood Highlights

Miliki dapur yang bebas dari kuman, kelembapan, dan bau tak sedap dengan Tudung Hisap/Hood kami. Sebuah solusi ekstraksi yang luar biasa dengan desain yang elegan, sistem penyarangan yang canggih, dan aliran udara yang kuat.



Downdraft Hood

Membuat area memasak tetap leluasa karena perangkat dapat tersimpan di dalam meja ketika tidak digunakan.




Pertraction System

Hisapan aliran udara lebih fokus dan asap lebih cepat terserap sehingga ruang dapur senantiasa bersih.



Eco Blast Technology

Teknologi yang efektif menyerap udara panas dan mengubahnya menjadi Air Curtain Shield yang sejuk untuk melindungi anda dari asap dan minyak saat memasak.



Germinator System

Menyebarkan ion aktif yang secara efektif dapat memusnahkan kuman dan bakteri serta membersihkan udara kotor.



Touch Control System

Fitur yang memudahkan anda dalam menggunakan Hood serta memberikan tampilan yang modern untuk dapur anda.



Multifiltration system

Udara terbebas dari asap, bau dan uap minyak karena disaring oleh Aluminum Filter dan Carbon Filter yang terdapat diseluruh tipe hood.



IOT Function

Cooker hood dapat di gunakan kapanpun dan dimanapun dengan menggunakan aplikasi smartphone.



LED Lamp

Menciptakan penerangan yang optimal dan sentuhan hangat pada ruang, namun tetap efisien energi listrik.

Sink & Tap Highlights

Set keran dan bak cuci yang memastikan mencuci piring bukan lagi kegiatan yang membosankan. Dengan desain kontemporer tingkatkan keanggunan dan kualitas dapur dengan menjadi centerpiece ruangan.



Central Drainer Position

Posisi instalasi sink dapat disesuaikan dengan tata letak ruang dapur karena letak lubang sink berada di tengah.



Complete Pipes Installation

Dilengkapi pipa instalasi, termasuk pipa sistem 'S' yang mencegah bau masuk kembali ke dalam dapur.



Silk Surfaced

Lebih Fleksibel dengan dua pilihan instalasi, yakni ditaruh di atas meja atau di tanam dalam lemari kabinet.



Flexible Body

Tap yang dapat digerakkan ke segala arah mampu memudahkan pencucian seluruh peranti masak dan bahan makanan.

Freestanding Cooker

Freestanding Cooker



FC 5942 S

- SABAF Italy Burner
- Aluminum Burner
- Onehand Ignition
- Gas Safety Technology
- Semicast Iron Grid
- Oven Capacity : 67 Liter
- Grill Turnspit
- Double Layers Door Glass
- Oven Light
- Timer
- 900 x 600 x 840-940 mm



FC 5942 L

- SABAF Italy Burner
- Aluminum Burner
- Onehand Ignition
- Gas Safety Technology
- Semicast Iron Grid
- Oven Capacity : 67 Liter
- Grill Turnspit
- Double Layers Door Glass
- Oven Light
- Timer
- 900 x 600 x 840-940 mm



FC 0534 AABK

- Tempered Crystal Cooktop
- Convection Fan
- Onehand Ignition
- Gas Safety Technology
- Cast Iron Grid
- Oven Capacity : 63 Liter
- Grill Turnspit
- Double Layers Door Glass
- Oven Light
- Timer
- 900 x 600 x 910 mm



FC 8943 L

- Aluminum Burner
- Automatic Ignition
- Gas Safety Technology
- Grid with Enamel Coating
- Oven Capacity : 55 Liter
- Double Layers Door Glass
- Oven Light
- 900 x 600 x 850-900 mm

Freestanding Cooker



FC 8940 S

- SABAF Italy Burner
- Aluminum Burner
- Onehand Ignition
- Gas Safety Technology
- Grid with Enamel Coating
- Oven Capacity : 67 Liter
- Grill Turnspit
- Double Layers Door Glass
- Oven Light
- Timer
- 900 x 600 x 840-940 mm



FC 9942 S

- DEFENDI Italy Burner
- Convection Fan
- Onehand Ignition
- Oven Capacity : 62 Liter
- Double Layers Door Glass
- Oven Light
- Timer
- 900 x 600 x 850-900 mm



FC 5642 S

- SABAF Italy Burner
- Aluminum Burner
- Onehand Ignition
- Gas Safety Technology
- Semicast Iron Grid
- Oven Capacity : 60 Liter
- Grill Turnspit
- Double Layers Door Glass
- Oven Light
- Timer
- 600 x 600 x 850-900 mm



FC 0434 AABK

- Tempered Crystal Cooktop
- Convection Fan
- Onehand Ignition
- Gas Safety Technology
- Cast Iron Grid
- Oven Capacity : 80 Liter
- Grill Turnspit
- Double Layers Door Glass
- Oven Light
- Timer
- 600 x 600 x 860 mm

Freestanding Cooker



FC 8643 L

- Aluminum Burner
- Automatic Ignition
- Gas Safety Technology
- Grid with Enamel Coating
- Oven Capacity : 55 Liter
- Double Layers Door Glass
- Oven Light
- 600 x 600 x 850-900 mm



FC 8640

- SABAF Italy Burner
- Aluminum Burner
- Onehand Ignition
- Gas Safety Technology
- Cast Iron Grid
- Oven Capacity : 52 Liter
- Grill Turnspit
- Double Layers Door Glass
- Oven Light
- Timer
- 600 x 600 x 850-900 mm



FC 9642 S

- DEFENDI Italy Burner
- Convection Fan
- Onehand Ignition
- Oven Capacity : 62 Liter
- Double Layers Door Glass
- Oven Light
- Timer
- 600 x 600 x 850-900 mm



FC 8533 L

- Aluminum Burner
- Automatic Ignition
- Gas Safety Technology
- Grid with Enamel Coating
- Oven Capacity : 34 Liter
- Double Layers Door Glass
- Oven Light
- Grill Turnspit
- Timer
- 500 x 550 x 860 mm

Gourmet Series



- DX 9943**
- Downdraft Hood
 - Cassette Aluminum Filter
 - Carbon Foam Filter
 - Sliding Touch Control
 - 4 Speed Levels
 - Air Flow 1000 M³/H
 - Product : 880 x 115 x 718-1050 mm



- IX 4546 LSKY**
- Island Hood
 - Aluminum Filter
 - Carbon Filter
 - Invisible Touch Control
 - 3 Speed Levels
 - Air Flow 750 M³/H
 - IOT Function
 - Product : 410 x 410 x 100-2000 mm



- IX 9156**
- Island Hood
 - Cassette Aluminum Filter
 - Carbon Filter
 - Touch Control System
 - 3 Speed Level + Turbo
 - Air Flow 1200 M³/H
 - UV SterilWave
 - Product : 910 x 610 x 670-1250 mm



- CX 9156**
- Chimney Hood
 - Cassette Aluminum Filter
 - Carbon Filter
 - Touch Control System
 - 3 Speed Levels + Turbo
 - Air Flow 1200 M³/H
 - UV SterilWave
 - Product : 910 x 505 x 550 -1050 mm



- IX 9356**
- Island Hood
 - Cassette Aluminum Filter
 - Carbon Filter
 - Touch Control System
 - 4 Speed Levels
 - Air Flow 1000 M³/H
 - UV SterilWave
 - Product : 910 x 610 x 670-1250 mm



- CX 9356**
- Chimney Hood
 - Cassette Aluminum Filter
 - Carbon Filter
 - Touch Control System
 - 4 Speed Levels
 - Air Flow 1200 M³/H
 - UV SterilWave
 - Product : 900 x 500 x 570 -1050 mm



- CX 9753**
- Chimney Hood
 - Cassette Aluminum Filter
 - Carbon Filter
 - Touch Control System
 - 3 Speed Levels
 - Air Flow 1000 M³/H
 - Germinator System (Ionizer)
 - Product : 895 x 400 x 770-1150 mm



- CX 8917 LASS**
- Chimney Hood
 - Stainless Steel Mesh Filter
 - Carbon Filter
 - Touch Control System + Gesture Control
 - 3 Speed Levels
 - Air Flow 1000 M³/H
 - Auto Heat Cleaning Technology
 - Product : 895 X 370 X 998 mm

Chimney Hood / 90 cm

Chimney Hood / 70 cm

Purifier Slim Hood Hybrid / 90 cm



- CX 7915 GXBK**
- Chimney Hood
 - Cassette Aluminum Filter
 - Carbon Filter
 - Touch Control System
 - 3 Speed Levels
 - Air Flow 700 M³/H
 - IOT Function
 - Product : 900 x 430 x 760 -1140 mm



- CX 9754/CX 7754**
- Chimney Hood
 - Cassette Aluminum Filter
 - Carbon Filter
 - Touch Control System
 - 3 Speed Levels
 - Air Flow 700 M³/H
 - Eco Blast Hood Technology
 - Auto Heat Cleaning Technology
 - Product : 900/700 x 360 x 740 -1080 mm



- CX 9701 L**
- Chimney Hood
 - Cassette Aluminum Filter
 - Carbon Filter
 - Push Button Control
 - 3 Speed Levels
 - Air Flow 700 M³/H
 - Multi Filtration System
 - Product : 900 x 345 x 800 -1180 mm



- CX 7712 L**
- Chimney Hood
 - Cassette Aluminum Filter
 - Carbon Filter
 - Push Button Control
 - 3 Speed Levels
 - Air Flow 700 M³/H
 - Multi Filtration System
 - Product : 695 x 325 x 680 -1070 mm



- CX 7310 L**
- Chimney Hood
 - Cassette Aluminum Filter
 - Carbon Foam Filter
 - Push Button Control
 - 3 Speed Level
 - Air Flow 900 M³/H
 - Multi Filtration System
 - Product : 700 x 500 x 670 - 1050 mm



- CX 7110 L**
- Chimney Hood
 - Cassette Aluminum Filter
 - Carbon Filter
 - Push Button Control
 - 3 Speed Levels
 - Air Flow 700 M³/H
 - Multi Filtration System
 - Product : 740 x 450 x 550 - 1020 mm



- AX 2925 CASS**
- Purifier Slim Hood Hybrid
 - Cassette Aluminum Filter
 - Carbon Filter
 - Touch Control Panel
 - 3 Speed Level
 - Air Flow 500 M³/H
 - UV Sterilwave
 - Micro Filtration System
 - Gesture Control
 - Product : 900 x 480 x 100 mm



- AX 2921 CABK**
- Purifier Slim Hood Hybrid
 - Cassette Aluminum Filter
 - Carbon Filter
 - Push Button Control
 - 3 Speed Levels
 - Air Flow 500 M³/H
 - UV Sterilwave
 - Micro Filtration System
 - Product : 900 x 480 x 100 mm

Slim Hood/ 90 cm

Purifier Slim Hood/ 70 cm



- AX 0921 BABK**
- Purifier Slim Hood Hybrid
 - Cassette Aluminum Filter
 - Carbon Foam Filter
 - Touch Control Panel
 - 3 Speed Levels
 - Air Flow 500 M³/H
 - UV Sterilwave
 - Micro Filtration System
 - Product : 900 x 480 x 100 mm



- RX 9632**
- Slim Hood
 - Cassette Aluminum Filter
 - Carbon Filter
 - Touch Control System
 - 3 Speed Levels
 - Air Flow 400 M³/H
 - Product : 900 x 480 x 135 mm



- SX 9512 L**
- Slim Hood
 - Cassette Aluminum Filter
 - Carbon Filter
 - Push Button Control
 - 3 Speed Levels
 - Air Flow 500 M³/H
 - Germinator System (Ionizer)
 - Product : 900 x 500 x 150 mm



- SX 9502 V**
- Slim Hood
 - Cassette Aluminum Filter
 - Carbon Filter
 - Push Button Control
 - 3 Speed Levels
 - Air Flow 500 M³/H
 - Germinator System (Ionizer)
 - Product : 900 x 495 x 140 mm



- PX 9022**
- Slim Hood
 - Cassette Aluminum Filter
 - Carbon Foam Filter
 - Push Button Control
 - 3 Speed Levels
 - Air Flow 440 M³/H
 - Product : 900 x 500 x 80 mm



- PX 9002**
- Slim Hood
 - Metal Mesh Filter
 - Grease Foam Filter + Carbon Foam Filter
 - Push Button Control
 - 3 Speed Levels
 - Air Flow 400 M³/H
 - Product : 900 x 500 x 80 mm



- AX 2725 CASS**
- Purifier Slim Hood Hybrid
 - Cassette Aluminum Filter
 - Carbon Filter
 - Touch Control Panel
 - 3 Speed Level
 - Air Flow 500 M³/H
 - UV Sterilwave
 - Micro Filtration System
 - Product : 900 x 480 x 100 mm



- AX 2711 CABK**
- Purifier Slim Hood Hybrid
 - Cassette Aluminum Filter
 - Carbon Filter
 - Push Button Control
 - 3 Speed Level
 - Air Flow 250 M³/H
 - UV Sterilwave
 - Micro Filtration System
 - Product : 900 x 480 x 100 mm

Slim Hood/ 70 cm

Purifier Slim Hood/ 60 cm

Slim Hood/ 60 cm



- AX 0711 BABK**
- Purifier Slim Hood Hybrid
 - Cassette Aluminum Filter
 - Carbon Foam Filter
 - Touch Control Panel
 - 3 Speed Levels
 - Air Flow 250 M³/H
 - UV Sterilwave
 - Micro Filtration System
 - Product : 700 x 480 x 100 mm



- RX 7632**
- Slim Hood
 - Cassette Aluminum Filter
 - Carbon Filter
 - Touch Control System
 - 3 Speed Levels
 - Air Flow 400 M³/H
 - Product : 700 x 480 x 135 mm



- SX 7511 L**
- Slim Hood
 - Cassette Aluminum Filter
 - Carbon Filter
 - Push Button Control
 - 3 Speed Levels
 - Air Flow 350 M³/H
 - Germinator System (Ionizer)
 - Product : 700 x 500 x 150 mm



- PX 7111**
- Slim Hood
 - Cassette Aluminum Filter
 - Carbon Foam Filter
 - Push Button Control
 - 3 Speed Levels
 - Air Flow 400 M³/H
 - Product : 700 x 480 x 83 mm



- PX 7001/PX 6001**
- Slim Hood
 - Metal Mesh Filter
 - Grease Foam Filter + Carbon Foam Filter
 - Push Button Control
 - 3 Speed Levels
 - Air Flow 400 M³/H
 - Product : 700/600 x 500 x 80 mm



- AX 0611 BABK**
- Purifier Slim Hood Hybrid
 - Cassette Aluminum Filter
 - Carbon Foam Filter
 - Touch Control Panel
 - 3 Speed Levels
 - Air Flow 250 M³/H
 - UV Sterilwave
 - Micro Filtration System
 - Product : 600 x 480 x 100 mm



- SX 6501 V**
- Slim Hood
 - Cassette Aluminum Filter
 - Carbon Filter
 - Push Button Control
 - 3 Speed Levels
 - Air Flow 400 M³/H
 - Germinator System (Ionizer)
 - Product : 600 x 495 x 150 mm



- PX 6031 L**
- Slim Hood
 - Cassette Aluminum Filter
 - Carbon Filter
 - Push Button Control
 - 3 Speed Levels
 - Air Flow 175 M³/H
 - LED Lamp
 - Product : 600 x 450 x 85 mm

Sink & Tap

Granite




- KS 9200F WP**
- Quartz Granite
 - Topmount Installation
 - S-Pipe Waste Trap
 - Metallic Finish
 - Product : 860 x 500 x 200 x T10 mm
 - Bowl : 400 x 430 mm / 370 x 365 mm
 - Cut-Out : 840 x 480 mm



- KS 9200F LM**
- Quartz Granite
 - Topmount Installation
 - S-Pipe Waste Trap
 - Metallic Finish
 - Product : 860 x 500 x 200 x T10 mm
 - Bowl : 400x 430 mm / 370 x 365 mm
 - Cut-Out : 840 x 480 mm




- KS 9100F WP**
- Quartz Granite
 - Topmount Installation
 - S-Pipe Waste Trap
 - Metallic Finish
 - Product : 780 x 510 x 220 x T10 mm
 - Bowl : 720 x 380 mm
 - Cut-Out : 764 x 494 mm



- KS 9100F LM**
- Quartz Granite
 - Topmount Installation
 - S-Pipe Waste Trap
 - Metallic Finish
 - Product : 780 x 510 x 220 x T10 mm
 - Bowl : 720 x 380 mm
 - Cut-Out : 764 x 494 mm



- KS 9101F WP**
- Quartz Granite
 - Topmount Installation
 - S-Pipe Waste Trap
 - Metallic Finish
 - Product : 860 x 500 x 200 x T10 mm
 - Bowl : 347 x 430 mm
 - Cut-Out : 840 x 480 mm



- KS 9101F LM**
- Quartz Granite
 - Topmount Installation
 - S-Pipe Waste Trap
 - Metallic Finish
 - Product : 860 x 500 x 200 x T10 mm
 - Bowl : 347 x 430 mm
 - Cut-Out : 840 x 480 mm



- KS 9110F WP**
- Quartz Granite
 - Topmount and Undermount Installation
 - S-Pipe Waste Trap
 - Metallic Finish
 - Product : 457 x 406 x 203 x T10 mm
 - Bowl : 417 x 366 mm
 - Cut-Out : 442 x 391 mm (top) / 417 x 366 mm (under)



- KS 9110F LM**
- Quartz Granite
 - Topmount and Undermount Installation
 - S-Pipe Waste Trap
 - Metallic Finish
 - Product : 457 x 406 x 203 x T10 mm
 - Bowl : 417 x 366 mm
 - Cut-Out : 442 x 391 mm (top) / 417 x 366 mm (under)

Multifunction Sink



- KS 3190 HTGM**
- Handmade Stainless Steel SUS 304
 - PVD coating
 - Topmount Installation
 - Various Accessories (Waterfall faucet, Colander, Chopping Board, Cup Washer)
 - 4 Spray Mode
 - Product: 750 x 450 x 235 x T0.7 mm
 - Bowl: 702 x 351 mm
 - Cut-Out: 720 x 420 mm



- KS 7250**
- Stainless Steel SUS 304
 - Top/Under/Flushmount Installation
 - S-Pipe Waste Trap
 - Strainer with Basket Filter
 - Product : 762 x 430 x 225 x T1 mm
 - Bowl : 399 x 379 mm / 279 x 379 mm
 - Cut-Out : 740 x 410 mm (top) / 713 x 383 mm (under) / 763 x 431 mm (flush)



- KS 7150**
- Stainless Steel SUS 304
 - Top/Under/Flushmount Installation
 - S-Pipe Waste Trap
 - Strainer with Basket Filter
 - Product : 570 x 450 x 225 x T1 mm
 - Bowl : 519 x 399 mm
 - Cut-Out : 550 x 430 mm (top) / 523 x 403 mm (under) / 571 x 451 mm (flush)



- KS 7140**
- Stainless Steel SUS 304
 - Top/Under/Flushmount Installation
 - S-Pipe Waste Trap
 - Strainer with Basket Filter
 - Product : 450 x 450 x 225 x T1 mm
 - Bowl : 400 x 400 mm
 - Cut-Out : 430 x 430 mm (top) / 403 x 403 mm (under) / 451 x 451 mm (flush)



- KS 4200 MUST**
- Stainless Steel SUS 304
 - Top/Under/Flushmount Installation
 - S-Pipe Waste Trap
 - Strainer with Basket Filter
 - Product : 765 x 440 x 200 x T0.8 mm
 - Bowl : 300 x 400 mm / 400 x 400 mm
 - Cut-Out : 750 x 425 mm (top) / 728 x 403 mm (under)



- KS 4101 MUST**
- Stainless Steel SUS 304
 - Top/Under/Flushmount Installation
 - S-Pipe Waste Trap
 - Strainer with Basket Filter
 - Product : 540 x 440 x 200 x T0.8 mm
 - Bowl : 500 x 400 mm
 - Cut-Out : 525 x 425 mm (top) / 503 x 403 mm (under)



- KS 4100 MUST**
- Stainless Steel SUS 304
 - Top/Under/Flushmount Installation
 - S-Pipe Waste Trap
 - Strainer with Basket Filter
 - Product : 440 x 440 x 200 x T0.8 mm
 - Bowl : 400 x 400 mm
 - Cut-Out : 425 x 425 mm (top) / 403 x 403 mm (under)



- KS 5140**
- Stainless Steel SUS 304
 - Topmount Installation
 - Bottle Waste Trap
 - Free Colander
 - Product : 800 x 500 x 220 x T0.8 mm
 - Bowl : 720 x 420 mm
 - Cut-Out : 780 x 480 mm

Press Stainless



- KS 5110**
- Stainless Steel SUS 304
 - Topmount Installation
 - Bottle Waste Trap
 - Free Rinsing Basket
 - Product : 686 x 456 x 210 x T0.8 mm
 - Bowl : 618 x 388 mm
 - Cut-Out : 666 x 435 mm



- KS 5150**
- Stainless Steel SUS 304
 - Undermount Installation
 - S-Pipe Waste Trap
 - Strainer with Basket Filter
 - Product : 451 x 451 x 190 x T0.8 mm
 - Bowl : 400 x 400 mm
 - Cut-Out : 402 x 402 mm



- KS 4251**
- Stainless Steel SUS 304
 - Topmount Installation
 - Bottle Waste Trap
 - Strainer with Basket Filter
 - Product : 1160 x 500 x 200 x T0.8 mm
 - Bowl : 340 x 400 mm / 340 x 400 mm
 - Cut-Out : 1140 x 480 mm



- KS 4151**
- Stainless Steel SUS 304
 - Topmount Installation
 - Bottle Waste Trap
 - Strainer with Basket Filter
 - Product : 860 x 500 x 200 x T0.8 mm
 - Bowl : 340 x 400 mm
 - Cut-Out : 840 x 480 mm



- KS 4250**
- Stainless Steel SUS 304
 - Topmount Installation
 - Bottle Waste Trap
 - Strainer with Basket Filter
 - Product : 820 x 500 x 185 x T0.8 mm
 - Bowl : 355 x 405 mm / 355 x 405 mm
 - Cut-Out : 800 x 480 mm



- KS 3131**
- Stainless Steel SUS 304
 - Topmount Installation
 - Bottle Waste Trap
 - Strainer with Basket Filter
 - Product : 860 x 435 x 160 x T0.8 mm
 - Bowl : 400 x 340 mm
 - Cut-Out : 840 x 415 mm



- KS 3130**
- Stainless Steel SUS 304
 - Topmount Installation
 - Bottle Waste Trap
 - Strainer with Basket Filter
 - Product : 480 x 430 x 180 x T0.8 mm
 - Bowl : 405 x 355 mm
 - Cut-Out : 460 x 410 mm



- KS 3120**
- Stainless Steel SUS 304
 - Topmount Installation
 - Bottle Waste Trap
 - Strainer with Basket Filter
 - Product : 440 x 380 x 170 x T0.8 mm
 - Bowl : 375 x 315 mm
 - Cut-Out : 420 x 360 mm

Pull-Out



- KT 7820 PPST**
- Single Lever Kitchen Mixer
 - Pull-Out Spout
 - Stream and Spray Shower Patterns
 - SUS 304 Body & Ceramic Cartridge
 - Including Flexible Pipes
 - Deck-mounted Installation
 - Product : 118 x 175 x 425 mm

Pull-Down



- KT 3350**
- Single Lever Kitchen Mixer
 - Pull-Down Spout
 - Stream and Spray Shower Patterns
 - Brass Body & Ceramic Cartridge
 - Including Flexible Pipes
 - Deck-mounted Installation
 - Product : 51 x 281 x 508 mm

Mixer



- KT 1915 MPCR**
- Single Lever Kitchen Mixer
 - Swivel High Spout
 - Stream Shower Pattern
 - Brass Body & Ceramic Cartridge
 - Including Flexible Pipes
 - Deck-mounted Installation
 - Product : 51 x 214 x 365 mm

Single



- KT 2910 SPCR**
- Single Lever Kitchen Tap
 - Swivel High Spout
 - Stream Shower Pattern
 - Brass Body & Ceramic Cartridge
 - Water Saving Aerator
 - Deck-mounted Installation
 - Product : 30 x 200 x 320 mm



- KT 1915 SPCR**
- Single Lever Kitchen Tap
 - Swivel High Spout
 - Stream Shower Pattern
 - Brass Body & Ceramic Cartridge
 - Water Saving Aerator
 - Deck-mounted Installation
 - Product : 30 x 170 x 360 mm



- KT 1420 SWCR**
- Single Lever Kitchen Tap
 - Swivel and Flexible Spout
 - Stream and Spray Shower Patterns
 - Zinc Body & Brass Cartridge
 - Water Saving Aerator
 - Wall-mounted Installation
 - Product : 35 x 210 x 275 mm



Scan and Get

- Cashback
- Free Item
- Extended Warranty
- Special Gift

with → **Ciao! MODENA** App.

Download App on App Store Google Play

Risk-Free Product Warranty

1 Tahun	3 Tahun	5 Tahun	LIFETIME
----------------	----------------	----------------	-----------------

Jaminan suku cadang dan servis

Penggantian Tungku, Pemantik dan Motor Blower

Penggantian Motor, Fan Motor dan Tungku

Karat (Sink dan Tap)

- Note:**
- Kebocoran gas yang disebabkan bukan oleh kesalahan struktur atau part dalam unit adalah diluar tanggung jawab kami.
 - Tidak berlaku untuk aksesoris & support part
 - Garansi 5 Tahun untuk Tungku Gas Kuningan
 - Kesalahan teknis dalam proses instalasi yang dilakukan oleh pihak selain teknisi resmi kami adalah diluar tanggung jawab MODENA serta mengakibatkan garansi tidak berlaku.
 - Syarat dan ketentuan berlaku.



Nationwide Coverage

Dengan lebih dari 60 sentra servis yang tersebar di Indonesia.



Free Installation

Gratis instalasi unit untuk kategori produk tertentu.



Accessories & Supports

Aksesoris premium yang lengkap dan bantuan tenaga ahli terpercaya.

Product Certification:

CB RoHS

ISO 9001:2015 Certification:



Hi, I'm MONA, ask me anything!



Visit Our Showroom

Jl. Prof. Dr. Satrio C4 No.13
Jakarta Selatan 12950

Jl. Suryo No. 22
Jakarta Selatan 12180

Jl. Kemang Selatan No.150
Jakarta Selatan 12560

Jl. Mayjen Sungkono no.113
Surabaya, Jawa Timur 60225

Follow Us On



MODENA Indonesia

modena.com